

Marking Codes of Diodes SMD Discrete Devices

| Part number | Code | Code (Alt.) |
|-------------|------|-------------|
| 1N4148W | T4 | T6 |
| 1N4148WS | T4 | T6 |
| 1N4148WT | T4 | |
| 1N4448HLP | T8 | |
| 1N4448HWS | T5 | |
| 1N4448HWT | T8 | |
| 1N4448W | T5 | |
| 1N4448WS | T5 | |
| 1N5711W | SA | |
| 1N5711WS | SA | |
| 1N5819HW | SL | |
| 1N6263W | SB | |
| 2DA1774Q | 8A | |
| 2DA1774R | 8B | |
| 2DA1774S | 8C | |
| 2DC4617Q | 8D | |
| 2DC4617R | 8E | |
| 2DC4617S | 8F | |
| 2N7002 | K72 | K7A, K7B |
| 2N7002DW | K72 | |
| 2N7002E | K7B | |
| 2N7002K | K7K | |
| 2N7002T | 72 | |
| 2N7002V | KAS | |
| 2N7002VA | KAY | |
| 2N7002VAC | AYK | |
| 2N7002VC | ASK | |
| 2N7002W | K72 | |
| 3.0SMCJ20A | HEV | |
| 3.0SMCJ22A | HEX | |
| 3.0SMCJ24A | HEZ | |
| 3.0SMCJ28A | HFG | |
| 3.0SMCJ30A | HFK | |
| 3.0SMCJ5.0A | HDE | |
| 3.0SMCJ58A | HGG | |
| ASMCC0096 | A96 | |
| AZ23C10 | KDF | |
| AZ23C10W | KDF | |
| AZ23C11 | KDG | |
| AZ23C12 | KDH | |
| AZ23C13 | KDI | |
| AZ23C15 | KDJ | |
| AZ23C16 | KCK | |
| AZ23C18 | KDL | |
| AZ23C18W | KDL | |
| AZ23C20 | KDM | |
| AZ23C22 | KDN | |

| | | |
|-----------|-----|----------|
| AZ23C24 | KDO | |
| AZ23C27 | KDP | |
| AZ23C2V7 | KD1 | |
| AZ23C30 | KDQ | |
| AZ23C33 | KDR | |
| AZ23C36 | KDS | |
| AZ23C39 | KDT | |
| AZ23C3V0 | KD2 | |
| AZ23C3V3 | KD3 | |
| AZ23C3V6 | KD4 | |
| AZ23C3V9 | KD5 | |
| AZ23C43 | KDU | |
| AZ23C47 | KDV | |
| AZ23C4V3 | KD6 | |
| AZ23C4V7 | KD7 | |
| AZ23C51 | KDW | |
| AZ23C5V1 | KD8 | |
| AZ23C5V6 | KD9 | |
| AZ23C5V6W | KD9 | |
| AZ23C6V2 | KDA | |
| AZ23C6V8 | KDB | |
| AZ23C6V8W | KDB | |
| AZ23C7V5 | KDC | |
| AZ23C8V2 | KDD | |
| AZ23C9V1 | KDE | |
| B0520LW | SD | |
| B0520WS | SD | |
| B0530W | SE | |
| B0530WS | SE | |
| B0540W | SF | |
| B0540WS | SF | |
| B130LAW | SX | |
| B140HW | LO | |
| BAL99 | KJF | JF |
| BAS116 | K50 | K54 |
| BAS116T | 50 | |
| BAS116V | KAZ | |
| BAS16 | KA6 | KA2, K5D |
| BAS16LP | A6 | |
| BAS16T | A2 | |
| BAS16TW | KA2 | |
| BAS16V | KAM | |
| BAS16W | KT1 | |
| BAS19 | KA8 | KT3, KT2 |
| BAS19W | KA8 | KT2, KT3 |
| BAS20 | KT2 | KT3 |
| BAS20DW | KT2 | KT3 |
| BAS20W | KT2 | KT3 |
| BAS21 | KT3 | |
| BAS21DW | KT3 | |
| BAS21T | T3 | |
| BAS21W | KT3 | |

| | | |
|------------|-----|-----|
| BAS2825K | K92 | |
| BAS2825L | K93 | |
| BAS40 | K43 | |
| BAS40-04 | K44 | |
| BAS40-05 | K45 | |
| BAS40-06 | K46 | |
| BAS40BRW | K47 | |
| BAS40DW-04 | K44 | |
| BAS40DW-05 | K45 | |
| BAS40DW-06 | K46 | |
| BAS40LP | 43 | |
| BAS40T | 43 | |
| BAS40T-04 | 44 | |
| BAS40T-05 | 45 | |
| BAS40T-06 | 46 | |
| BAS40TW | K43 | |
| BAS40V | KAN | |
| BAS40W | K43 | |
| BAS40W-04 | K44 | |
| BAS40W-05 | K45 | |
| BAS40W-06 | K46 | |
| BAS70 | K7C | K73 |
| BAS70-04 | K7D | K74 |
| BAS70-04T | 7D | |
| BAS70-05 | K7E | K75 |
| BAS70-05T | 7E | |
| BAS70-06 | K7F | K76 |
| BAS70-06T | 7F | |
| BAS70BRW | K75 | |
| BAS70DW-04 | K74 | |
| BAS70DW-05 | K71 | |
| BAS70DW-06 | K76 | |
| BAS70JW | K78 | |
| BAS70T | 7C | |
| BAS70TW | K73 | |
| BAS70W | K73 | |
| BAS70W-04 | K74 | |
| BAS70W-05 | K75 | |
| BAS70W-06 | K76 | |
| BAT1000 | K79 | |
| BAT400D | KSJ | |
| BAT40V | KAX | |
| BAT42W | S7 | |
| BAT42WS | S7 | |
| BAT43W | S8 | |
| BAT43WS | S8 | |
| BAT46W | L6 | |
| BAT54 | KL1 | |
| BAT54A | KL2 | |
| BAT54ADW | KL6 | |
| BAT54AT | L2 | |
| BAT54AW | KL6 | |

| | | |
|----------|-------------|---------------|
| BAT54BRW | KLB | |
| BAT54C | KL3 | |
| BAT54CDW | KL7 | |
| BAT54CT | L3 | |
| BAT54CW | KL7 | |
| BAT54DW | KLD | |
| BAT54JW | KLC | |
| BAT54LP | L1 | |
| BAT54S | KL4 | |
| BAT54SDW | KL8 | |
| BAT54ST | L4 | |
| BAT54SW | KL8 | |
| BAT54T | L1 | |
| BAT54TW | KLA | |
| BAT54V | KAV | |
| BAT54W | KL5 | |
| BAT54WS | L9 | |
| BAT750 | K77 | K79 |
| BAT760 | LZ | |
| BAV116W | 50 | |
| BAV16W | T6 | T4 |
| BAV16WS | T6 | T4 |
| BAV170 | K51 | |
| BAV170T | 51 | |
| BAV199 | K52 | |
| BAV199DW | K52 | |
| BAV199T | 52 | |
| BAV199W | K52 | |
| BAV19W | A8 | T2, T3 |
| BAV19WS | A8 | T2, T3 |
| BAV20W | T2 | T3 |
| BAV20WS | T2 | T3 |
| BAV21W | T3 | |
| BAV21WS | T3 | |
| BAV23A | KT7 | |
| BAV23C | KT6 | |
| BAV23S | KL31 | |
| BAV3004W | 4P | |
| BAV70 | KJJ | |
| BAV70DW | KJA | |
| BAV70T | JJ | |
| BAV70W | KJA | |
| BAV756DW | KCA | |
| BAV99 | KJE | |
| BAV99BRW | KGJ | |
| BAV99DW | KJG | |
| BAV99T | JE | |
| BAV99W | KJG | |
| BAW156 | K53 | |
| BAW156T | 53 | |
| BAW56 | KJD | |
| BAW567DW | KAC | |

| | | |
|-----------|-----|--------------|
| BAW56DW | KJC | |
| BAW56T | JD | |
| BAW56W | KJC | |
| BC807-16 | K5A | 5A |
| BC807-16W | K5A | |
| BC807-25 | K5B | 5B |
| BC807-25W | K5B | |
| BC807-40 | K5C | 5C |
| BC807-40W | K5C | |
| BC817-16 | K6A | 6A |
| BC817-16W | K6A | |
| BC817-25 | K6B | 6B |
| BC817-25W | K6B | |
| BC817-40 | K6C | 6C |
| BC817-40W | K6C | |
| BC846A | K1Q | 1A |
| BC846AW | K1Q | |
| BC846B | K1R | 1B |
| BC846BW | K1R | |
| BC847A | K1E | K1Q, 1E |
| BC847AT | 1E | |
| BC847AW | K1E | K1Q |
| BC847B | K1F | 1F, K1R |
| BC847BLD | KLD | |
| BC847BLP | 1F | |
| BC847BS | K1F | |
| BC847BT | 1F | |
| BC847BV | K4V | |
| BC847BVC | 4VK | |
| BC847BVN | KAW | |
| BC847BW | K1F | K1R |
| BC847C | K1M | 1G |
| BC847CT | 1M | |
| BC847CW | KIM | |
| BC847PN | K7P | |
| BC848A | K1J | K1E, K1Q, 1J |
| BC848AW | K1J | K1E, K1Q |
| BC848B | K1K | K1F, K1R, 1K |
| BC848BW | K1K | K1F, K1R |
| BC848C | K1L | K1M, 1L |
| BC848CW | K1L | K1M |
| BC856A | K3A | 3A |
| BC856AW | K3A | |
| BC856B | K3B | 3B |
| BC856BW | K3B | |
| BC857A | K3V | K3A, 3E |
| BC857AT | 3V | |
| BC857AW | K3V | K3A |
| BC857B | K3W | K3B, 3F |
| BC857BLP | 3W | |
| BC857BS | K3W | |
| BC857BT | 3W | |

| | | |
|------------|-----------|--------------|
| BC857BV | K5V | |
| BC857BW | K3W | K3B |
| BC857C | K3G | 3G |
| BC857CT | 3G | |
| BC857CW | K3G | |
| BC858A | K3J | K3A, K3V, 3J |
| BC858AW | K3J | K3A, K3V |
| BC858B | K3K | K3B, K3W, 3K |
| BC858BW | K3K | K3B, K3W |
| BC858C | K3L | K3G, 3L |
| BC858CW | K3L | K3G |
| BS870 | K70 | |
| BSS123 | K23 | |
| BSS123W | K23 | |
| BSS138 | K38 | |
| BSS138DW | K38 | |
| BSS138W | K38 | |
| BSS84 | K84 | |
| BSS8402DW | KNP | |
| BSS8438DW | KNR | |
| BSS84DW | K84 | |
| BSS84V | K84 | |
| BSS84W | K84 | |
| BZT52C10 | WF | <u>WF</u> |
| BZT52C10LP | 9G | |
| BZT52C10S | WF | <u>WF</u> |
| BZT52C10T | <u>WF</u> | |
| BZT52C11 | WG | <u>WG</u> |
| BZT52C11LP | 9H | |
| BZT52C11S | WG | <u>WG</u> |
| BZT52C11T | <u>WG</u> | |
| BZT52C12 | WH | <u>WH</u> |
| BZT52C12LP | 9J | |
| BZT52C12S | WH | <u>WH</u> |
| BZT52C12T | <u>WH</u> | |
| BZT52C13 | WI | <u>WI</u> |
| BZT52C13LP | 9K | |
| BZT52C13S | WI | <u>WI</u> |
| BZT52C13T | <u>WI</u> | |
| BZT52C15 | WJ | <u>WJ</u> |
| BZT52C15LP | 9L | |
| BZT52C15S | WJ | <u>WJ</u> |
| BZT52C15T | <u>WJ</u> | |
| BZT52C16 | WK | <u>WK</u> |
| BZT52C16LP | 9M | |
| BZT52C16S | WK | <u>WK</u> |
| BZT52C16T | <u>WK</u> | |
| BZT52C18 | WL | <u>WL</u> |
| BZT52C18LP | 9N | |
| BZT52C18S | WL | <u>WL</u> |
| BZT52C18T | <u>WL</u> | |
| BZT52C20 | WM | <u>WM</u> |

| | | |
|-------------|-----------|-----------|
| BZT52C20LP | 9P | |
| BZT52C20S | <u>WM</u> | <u>WM</u> |
| BZT52C20T | <u>WM</u> | |
| BZT52C22 | <u>WN</u> | <u>WN</u> |
| BZT52C22LP | 9R | |
| BZT52C22S | <u>WN</u> | <u>WN</u> |
| BZT52C22T | <u>WN</u> | |
| BZT52C24 | <u>WO</u> | <u>WO</u> |
| BZT52C24LP | 9S | |
| BZT52C24S | <u>WO</u> | <u>WO</u> |
| BZT52C24T | <u>WO</u> | |
| BZT52C27 | <u>WP</u> | <u>WP</u> |
| BZT52C27S | <u>WP</u> | <u>WP</u> |
| BZT52C2V0 | <u>WY</u> | <u>WY</u> |
| BZT52C2V0S | <u>WY</u> | <u>WY</u> |
| BZT52C2V0T | <u>WY</u> | |
| BZT52C2V4 | <u>WX</u> | <u>WX</u> |
| BZT52C2V4LP | <u>WX</u> | |
| BZT52C2V4S | <u>WX</u> | <u>WX</u> |
| BZT52C2V4T | <u>WX</u> | |
| BZT52C2V7 | <u>W1</u> | <u>W1</u> |
| BZT52C2V7LP | <u>W1</u> | |
| BZT52C2V7S | <u>W1</u> | <u>W1</u> |
| BZT52C2V7T | <u>W1</u> | |
| BZT52C30 | <u>WQ</u> | <u>WQ</u> |
| BZT52C30S | <u>WQ</u> | <u>WQ</u> |
| BZT52C33 | <u>WR</u> | <u>WR</u> |
| BZT52C33S | <u>WR</u> | <u>WR</u> |
| BZT52C36 | <u>WS</u> | <u>WS</u> |
| BZT52C36LP | 9W | |
| BZT52C36S | <u>WS</u> | <u>WS</u> |
| BZT52C39 | <u>WT</u> | <u>WT</u> |
| BZT52C39LP | 9X | |
| BZT52C39S | <u>WT</u> | <u>WT</u> |
| BZT52C3V0 | <u>W2</u> | <u>W2</u> |
| BZT52C3V0LP | <u>W2</u> | |
| BZT52C3V0S | <u>W2</u> | <u>W2</u> |
| BZT52C3V0T | <u>W2</u> | |
| BZT52C3V3 | <u>W3</u> | <u>W3</u> |
| BZT52C3V3LP | <u>W3</u> | |
| BZT52C3V3S | <u>W3</u> | <u>W3</u> |
| BZT52C3V3T | <u>W3</u> | |
| BZT52C3V6 | <u>W4</u> | <u>W4</u> |
| BZT52C3V6LP | <u>W4</u> | |
| BZT52C3V6S | <u>W4</u> | <u>W4</u> |
| BZT52C3V6T | <u>W4</u> | |
| BZT52C3V9 | <u>W5</u> | <u>W5</u> |
| BZT52C3V9LP | <u>W5</u> | |
| BZT52C3V9S | <u>W5</u> | <u>W5</u> |
| BZT52C3V9T | <u>W5</u> | |
| BZT52C43 | <u>WU</u> | <u>WU</u> |
| BZT52C47 | <u>WV</u> | <u>WZ</u> |

| | | |
|-------------|-----------|-----------------------|
| BZT52C4V3 | W6 | <u>W6</u> , UB |
| BZT52C4V3LP | W6 | |
| BZT52C4V3S | W6 | <u>W6</u> |
| BZT52C4V3T | W6 | |
| BZT52C4V7 | W7 | <u>W7</u> |
| BZT52C4V7LP | W7 | |
| BZT52C4V7S | W7 | <u>W7</u> |
| BZT52C4V7T | W7 | |
| BZT52C51 | WW | X1 |
| BZT52C51S | WW | |
| BZT52C5V1 | W8 | <u>W8</u> |
| BZT52C5V1LP | 9Y | |
| BZT52C5V1S | W8 | <u>W8</u> |
| BZT52C5V6 | W9 | <u>W9</u> |
| BZT52C5V6LP | 9A | |
| BZT52C5V6S | W9 | <u>W9</u> |
| BZT52C5V6T | <u>W9</u> | |
| BZT52C6V2 | WA | <u>WA</u> |
| BZT52C6V2LP | 9B | |
| BZT52C6V2S | WA | <u>WA</u> |
| BZT52C6V2T | <u>WA</u> | |
| BZT52C6V8 | WB | <u>WB</u> |
| BZT52C6V8LP | 9C | |
| BZT52C6V8S | WB | <u>WB</u> |
| BZT52C6V8T | <u>WB</u> | |
| BZT52C7V5 | WC | <u>WC</u> |
| BZT52C7V5LP | 9D | |
| BZT52C7V5S | WC | <u>WC</u> , <u>BF</u> |
| BZT52C7V5T | <u>WC</u> | |
| BZT52C8V2 | WD | <u>WD</u> |
| BZT52C8V2LP | 9E | |
| BZT52C8V2S | WD | <u>WD</u> |
| BZT52C8V2T | <u>WD</u> | |
| BZT52C9V1 | WE | <u>WE</u> |
| BZT52C9V1LP | 9F | |
| BZT52C9V1S | WE | <u>WE</u> |
| BZT52C9V1T | <u>WE</u> | |
| BZX84C10 | KZ9 | |
| BZX84C10S | KZ9 | |
| BZX84C10T | R9 | |
| BZX84C10TS | R9 | |
| BZX84C10W | KR9 | |
| BZX84C11 | KY1 | |
| BZX84C11S | KY1 | |
| BZX84C11T | P1 | |
| BZX84C11TS | P1 | |
| BZX84C11W | KP1 | |
| BZX84C12 | KY2 | |
| BZX84C12S | KY2 | |
| BZX84C12T | P2 | |
| BZX84C12TS | P2 | |
| BZX84C12W | KP2 | |

| | |
|-------------|-----|
| BZX84C13 | KY3 |
| BZX84C13S | KY3 |
| BZX84C13T | P3 |
| BZX84C13TS | P3 |
| BZX84C13W | KP3 |
| BZX84C15 | KY4 |
| BZX84C15S | KY4 |
| BZX84C15T | P4 |
| BZX84C15TS | P4 |
| BZX84C15W | KP4 |
| BZX84C16 | KY5 |
| BZX84C16S | KY5 |
| BZX84C16T | P5 |
| BZX84C16TS | P5 |
| BZX84C16W | KP5 |
| BZX84C18 | KY6 |
| BZX84C18S | KY6 |
| BZX84C18T | P6 |
| BZX84C18TS | P6 |
| BZX84C18W | KP6 |
| BZX84C20 | KY7 |
| BZX84C20S | KY7 |
| BZX84C20T | P7 |
| BZX84C20TS | P7 |
| BZX84C20W | KP7 |
| BZX84C22 | KY8 |
| BZX84C22S | KY8 |
| BZX84C22T | P8 |
| BZX84C22TS | P8 |
| BZX84C22W | KP8 |
| BZX84C24 | KY9 |
| BZX84C24S | KY9 |
| BZX84C24T | P9 |
| BZX84C24TS | P9 |
| BZX84C24W | KP9 |
| BZX84C27 | KYA |
| BZX84C27S | KYA |
| BZX84C27T | PA |
| BZX84C27TS | PA |
| BZX84C27W | KPA |
| BZX84C2V4 | KZB |
| BZX84C2V4S | KZB |
| BZX84C2V4T | RB |
| BZX84C2V4TS | KRB |
| BZX84C2V4W | KRB |
| BZX84C2V7 | KZC |
| BZX84C2V7S | KZC |
| BZX84C2V7T | RC |
| BZX84C2V7TS | KRC |
| BZX84C2V7W | KRC |
| BZX84C30 | KYB |
| BZX84C30S | KYB |

| | | |
|-------------|-----|-----|
| BZX84C30T | PB | |
| BZX84C30TS | KPB | |
| BZX84C30W | KPB | |
| BZX84C33 | KYC | |
| BZX84C33S | KYC | |
| BZX84C33T | PC | |
| BZX84C33TS | KPC | |
| BZX84C33W | KPC | |
| BZX84C36 | KYD | |
| BZX84C36S | KYD | |
| BZX84C36T | PD | |
| BZX84C36TS | KPD | |
| BZX84C36W | KPD | |
| BZX84C39 | KYE | |
| BZX84C39S | KYE | |
| BZX84C39T | PE | |
| BZX84C39TS | KPE | |
| BZX84C39W | KPE | |
| BZX84C3V0 | KZD | |
| BZX84C3V0S | KZD | |
| BZX84C3V0T | RD | |
| BZX84C3V0TS | KRD | |
| BZX84C3V0W | KRD | |
| BZX84C3V3 | KZE | |
| BZX84C3V3S | KZE | |
| BZX84C3V3T | RE | |
| BZX84C3V3TS | KRE | |
| BZX84C3V3W | KRE | |
| BZX84C3V6 | KZF | |
| BZX84C3V6S | KZF | |
| BZX84C3V6T | RF | |
| BZX84C3V6TS | KRF | |
| BZX84C3V6W | KRF | |
| BZX84C3V9 | KZG | |
| BZX84C3V9S | KZG | |
| BZX84C3V9T | RG | |
| BZX84C3V9TS | KRG | |
| BZX84C3V9W | KRG | |
| BZX84C43 | KYF | Y15 |
| BZX84C47 | KYG | Y16 |
| BZX84C4V3 | KZH | |
| BZX84C4V3S | KZH | |
| BZX84C4V3T | RH | |
| BZX84C4V3TS | KRH | |
| BZX84C4V3W | KRH | |
| BZX84C4V7 | KZ1 | |
| BZX84C4V7S | KZ1 | |
| BZX84C4V7T | R1 | |
| BZX84C4V7TS | KR1 | |
| BZX84C4V7W | KR1 | |
| BZX84C51 | KYH | Y17 |
| BZX84C5V1 | KZ2 | |

| | |
|-------------|------------|
| BZX84C5V1S | KZ2 |
| BZX84C5V1T | R2 |
| BZX84C5V1TS | KR2 |
| BZX84C5V1W | KR2 |
| BZX84C5V6 | KZ3 |
| BZX84C5V6S | KZ3 |
| BZX84C5V6T | R3 |
| BZX84C5V6TS | KR3 |
| BZX84C5V6W | KR3 |
| BZX84C6V2 | KZ4 |
| BZX84C6V2S | KZ4 |
| BZX84C6V2T | R4 |
| BZX84C6V2TS | KR4 |
| BZX84C6V2W | KR4 |
| BZX84C6V8 | KZ5 |
| BZX84C6V8S | KZ5 |
| BZX84C6V8T | R5 |
| BZX84C6V8TS | KR5 |
| BZX84C6V8W | KR5 |
| BZX84C7V5 | KZ6 |
| BZX84C7V5S | KZ6 |
| BZX84C7V5T | R6 |
| BZX84C7V5TS | KR6 |
| BZX84C7V5W | KR6 |
| BZX84C8V2 | KZ7 |
| BZX84C8V2S | KZ7 |
| BZX84C8V2T | R7 |
| BZX84C8V2TS | KR7 |
| BZX84C8V2W | KR7 |
| BZX84C9V1 | KZ8 |
| BZX84C9V1S | KZ8 |
| BZX84C9V1T | R8 |
| BZX84C9V1TS | KR8 |
| BZX84C9V1W | KR8 |
| CTA2N1P | A03 |
| CTA2P1N | A80 |
| DCX114EH | C13 |
| DCX114EK | C13 |
| DCX114EU | C13 |
| DCX114TH | C12 |
| DCX114TK | C12 |
| DCX114TU | C12 |
| DCX114YH | C14 |
| DCX114YK | C14 |
| DCX114YU | C14 |
| DCX114YU | C81 |
| DCX122LH | C81 |
| DCX122LU | C81 |
| DCX122TH | C83 |
| DCX122TU | C83 |
| DCX123JH | C06 |
| DCX123JK | C06 |

| | |
|----------|-----|
| DCX123JU | C06 |
| DCX124EH | C17 |
| DCX124EK | C17 |
| DCX124EU | C17 |
| DCX142JH | C82 |
| DCX142JU | C82 |
| DCX142TH | C84 |
| DCX142TU | C84 |
| DCX143EH | C08 |
| DCX143TH | C07 |
| DCX143TK | C07 |
| DCX143TU | C07 |
| DCX144EH | C20 |
| DCX144EK | C20 |
| DCX144EU | C20 |
| DCX4710H | C02 |
| DDA114EH | P13 |
| DDA114EK | P13 |
| DDA114EU | P13 |
| DDA114TH | P12 |
| DDA114TK | P12 |
| DDA114TU | P12 |
| DDA114YH | P14 |
| DDA114YK | P14 |
| DDA114YU | P14 |
| DDA122LH | P81 |
| DDA122LU | P81 |
| DDA122TH | P83 |
| DDA122TU | P83 |
| DDA123JH | P06 |
| DDA123JK | P06 |
| DDA123JU | P06 |
| DDA124EH | P17 |
| DDA124EK | P17 |
| DDA124EU | P17 |
| DDA142JH | P82 |
| DDA142JU | P82 |
| DDA142JU | P84 |
| DDA142TU | P84 |
| DDA143EH | P08 |
| DDA143TH | P07 |
| DDA143TK | P07 |
| DDA143TU | P07 |
| DDA144EH | P20 |
| DDA144EK | P20 |
| DDA144EU | P20 |
| DDB113EK | P60 |
| DDB113ZK | P65 |
| DDB114EK | P63 |
| DDB114GK | P72 |
| DDB114TK | P71 |
| DDB122JK | P64 |

| | |
|------------|-----|
| DDB123EK | P61 |
| DDB123TK | P69 |
| DDB123YK | P66 |
| DDB133HK | P67 |
| DDB143EK | P62 |
| DDB143TK | P70 |
| DDC114EH | N13 |
| DDC114EU | N13 |
| DDC114TH | N12 |
| DDC114TU | N12 |
| DDC114YH | N14 |
| DDC114YU | N14 |
| DDC122LH | N81 |
| DDC122LU | N81 |
| DDC122TH | N83 |
| DDC122TU | N83 |
| DDC123JH | N06 |
| DDC123JU | N06 |
| DDC124EH | N17 |
| DDC124EU | N17 |
| DDC142JH | N82 |
| DDC142JU | N82 |
| DDC142TH | N84 |
| DDC142TU | N84 |
| DDC143EH | N08 |
| DDC143TH | N07 |
| DDC143TU | N07 |
| DDC144EH | N20 |
| DDC144EU | N20 |
| DDC144NS | S20 |
| DDC144TU | N21 |
| DDD113EK | N60 |
| DDD113ZK | N65 |
| DDD114EK | N63 |
| DDD114GK | N72 |
| DDD114TK | N71 |
| DDD122JK | N64 |
| DDD123EK | N61 |
| DDD123TK | N69 |
| DDD123YK | N66 |
| DDD133HK | N67 |
| DDD143EK | N62 |
| DDD143TK | N70 |
| DDE143TU | M07 |
| DDTA113TCA | P01 |
| DDTA113TE | P01 |
| DDTA113TKA | P01 |
| DDTA113TUA | P01 |
| DDTA113ZCA | P02 |
| DDTA113ZE | P02 |
| DDTA113ZKA | P02 |
| DDTA113ZUA | P02 |

| | |
|------------|-----|
| DDTA114ECA | P13 |
| DDTA114EE | P13 |
| DDTA114EKA | P13 |
| DDTA114EUA | P13 |
| DDTA114GCA | P26 |
| DDTA114GE | P26 |
| DDTA114GUA | P26 |
| DDTA114KA | P26 |
| DDTA114TCA | P12 |
| DDTA114TE | P12 |
| DDTA114TKA | P12 |
| DDTA114TUA | P12 |
| DDTA114WCA | P15 |
| DDTA114WE | P15 |
| DDTA114WKA | P15 |
| DDTA114WUA | P15 |
| DDTA114YCA | P14 |
| DDTA114YE | P14 |
| DDTA114YKA | P14 |
| DDTA114YLP | P3 |
| DDTA114YUA | P14 |
| DDTA115ECA | P24 |
| DDTA115EE | P24 |
| DDTA115EKA | P24 |
| DDTA115EUA | P24 |
| DDTA115GCA | P29 |
| DDTA115GE | P29 |
| DDTA115GUA | P29 |
| DDTA115KA | P29 |
| DDTA115TCA | P23 |
| DDTA115TE | P23 |
| DDTA115TKA | P23 |
| DDTA115TUA | P23 |
| DDTA122LE | P81 |
| DDTA122LU | P81 |
| DDTA122TE | P83 |
| DDTA122TU | P83 |
| DDTA123ECA | P04 |
| DDTA123EE | P04 |
| DDTA123EKA | P04 |
| DDTA123EUA | P04 |
| DDTA123JCA | P06 |
| DDTA123JE | P06 |
| DDTA123JKA | P06 |
| DDTA123JUA | P06 |
| DDTA123TCA | P03 |
| DDTA123TE | P03 |
| DDTA123TKA | P03 |
| DDTA123TUA | P03 |
| DDTA123YCA | P05 |
| DDTA123YE | P05 |
| DDTA123YKA | P05 |

| | |
|------------|-----|
| DDTA123YUA | P05 |
| DDTA124ECA | P17 |
| DDTA124EE | P17 |
| DDTA124EKA | P17 |
| DDTA124EUA | P17 |
| DDTA124GCA | P27 |
| DDTA124GE | P27 |
| DDTA124GUA | P27 |
| DDTA124KA | P27 |
| DDTA124TCA | P16 |
| DDTA124TE | P16 |
| DDTA124TKA | P16 |
| DDTA124TUA | P16 |
| DDTA124XCA | P18 |
| DDTA124XE | P18 |
| DDTA124XKA | P18 |
| DDTA124XUA | P18 |
| DDTA125TCA | P25 |
| DDTA125TE | P25 |
| DDTA125TKA | P25 |
| DDTA125TUA | P25 |
| DDTA142JE | P82 |
| DDTA142JU | P82 |
| DDTA142TE | P84 |
| DDTA142TU | P84 |
| DDTA143ECA | P08 |
| DDTA143EE | P08 |
| DDTA143EKA | P08 |
| DDTA143EUA | P08 |
| DDTA143FCA | P10 |
| DDTA143FE | P10 |
| DDTA143FKA | P10 |
| DDTA143FUA | P10 |
| DDTA143TCA | P07 |
| DDTA143TE | P07 |
| DDTA143TKA | P07 |
| DDTA143TUA | P07 |
| DDTA143XCA | P09 |
| DDTA143XE | P09 |
| DDTA143XKA | P09 |
| DDTA143XUA | P09 |
| DDTA143ZCA | P11 |
| DDTA143ZE | P11 |
| DDTA143ZKA | P11 |
| DDTA143ZUA | P11 |
| DDTA144ECA | P20 |
| DDTA144EE | P20 |
| DDTA144EKA | P20 |
| DDTA144ELP | P2 |
| DDTA144EUA | P20 |
| DDTA144GCA | P28 |
| DDTA144GE | P28 |

| | |
|------------|-----|
| DDTA144GUA | P28 |
| DDTA144KA | P28 |
| DDTA144TCA | P19 |
| DDTA144TE | P19 |
| DDTA144TKA | P19 |
| DDTA144TUA | P19 |
| DDTA144VCA | P21 |
| DDTA144VE | P21 |
| DDTA144VKA | P21 |
| DDTA144VUA | P21 |
| DDTA144WCA | P22 |
| DDTA144WE | P22 |
| DDTA144WKA | P22 |
| DDTA144WUA | P22 |
| DDTB113EC | P60 |
| DDTB113EU | P60 |
| DDTB113ZC | P65 |
| DDTB113ZU | P65 |
| DDTB114EC | P63 |
| DDTB114EU | P63 |
| DDTB114GC | P72 |
| DDTB114GU | P72 |
| DDTB114TC | P71 |
| DDTB114TU | P71 |
| DDTB122JC | P64 |
| DDTB122JU | P64 |
| DDTB122LC | P75 |
| DDTB122LU | P75 |
| DDTB122TC | P77 |
| DDTB122TU | P77 |
| DDTB123EC | P61 |
| DDTB123EU | P61 |
| DDTB123TC | P69 |
| DDTB123TU | P69 |
| DDTB123YC | P66 |
| DDTB123YU | P66 |
| DDTB133HC | P67 |
| DDTB133HU | P67 |
| DDTB142JC | P76 |
| DDTB142JU | P76 |
| DDTB142TC | P78 |
| DDTB142TU | P78 |
| DDTB143EC | P62 |
| DDTB143EU | P62 |
| DDTB143TC | P70 |
| DDTB143TU | P70 |
| DDTC113KA | N02 |
| DDTC113TCA | N01 |
| DDTC113TE | N01 |
| DDTC113TKA | N01 |
| DDTC113TLP | N4 |
| DDTC113TUA | N01 |

| | |
|------------|------------|
| DDTC113ZCA | N02 |
| DDTC113ZE | N02 |
| DDTC113ZKA | N02 |
| DDTC113ZUA | N02 |
| DDTC114ECA | N13 |
| DDTC114EE | N13 |
| DDTC114EKA | N13 |
| DDTC114ELP | N5 |
| DDTC114EUA | N13 |
| DDTC114GCA | N26 |
| DDTC114GE | N26 |
| DDTC114GKA | N26 |
| DDTC114GUA | N26 |
| DDTC114TCA | N12 |
| DDTC114TE | N12 |
| DDTC114TKA | N12 |
| DDTC114TUA | N12 |
| DDTC114WCA | N15 |
| DDTC114WKA | N15 |
| DDTC114WUA | N15 |
| DDTC114YCA | N14 |
| DDTC114YKA | N14 |
| DDTC114YUA | N14 |
| DDTC115ECA | N24 |
| DDTC115EE | N24 |
| DDTC115EKA | N24 |
| DDTC115EUA | N24 |
| DDTC115GCA | N29 |
| DDTC115GE | N29 |
| DDTC115GKA | N29 |
| DDTC115GUA | N29 |
| DDTC115TCA | N23 |
| DDTC115TE | N23 |
| DDTC115TKA | N23 |
| DDTC115TUA | N23 |
| DDTC122LE | N81 |
| DDTC122LU | N81 |
| DDTC122TE | N83 |
| DDTC122TU | N83 |
| DDTC123ECA | N04 |
| DDTC123EE | N04 |
| DDTC123EKA | N04 |
| DDTC123EUA | N04 |
| DDTC123JCA | N06 |
| DDTC123JKA | N06 |
| DDTC123JUA | N06 |
| DDTC123TCA | N03 |
| DDTC123TE | N03 |
| DDTC123TKA | N03 |
| DDTC123TUA | N03 |
| DDTC123YCA | N05 |
| DDTC123YKA | N05 |

| | |
|------------|------------|
| DDTC123YUA | N05 |
| DDTC124ECA | N17 |
| DDTC124EE | N17 |
| DDTC124EKA | N17 |
| DDTC124EUA | N17 |
| DDTC124GCA | N27 |
| DDTC124GE | N27 |
| DDTC124GKA | N27 |
| DDTC124GUA | N27 |
| DDTC124TCA | N16 |
| DDTC124TE | N16 |
| DDTC124TKA | N16 |
| DDTC124TUA | N16 |
| DDTC124XCA | N18 |
| DDTC124XKA | N18 |
| DDTC124XUA | N18 |
| DDTC125TCA | N25 |
| DDTC125TE | N25 |
| DDTC125TKA | N25 |
| DDTC125TUA | N25 |
| DDTC142JE | N82 |
| DDTC142JU | N82 |
| DDTC142TE | N84 |
| DDTC142TU | N84 |
| DDTC143ECA | N08 |
| DDTC143EE | N08 |
| DDTC143EKA | N08 |
| DDTC143EUA | N08 |
| DDTC143FCA | N10 |
| DDTC143FE | N10 |
| DDTC143FKA | N10 |
| DDTC143FUA | N10 |
| DDTC143TCA | N07 |
| DDTC143TE | N07 |
| DDTC143TKA | N07 |
| DDTC143TUA | N07 |
| DDTC143XCA | N09 |
| DDTC143XE | N09 |
| DDTC143XKA | N09 |
| DDTC143XUA | N09 |
| DDTC143ZCA | N11 |
| DDTC143ZE | N11 |
| DDTC143ZKA | N11 |
| DDTC143ZLP | N1 |
| DDTC143ZUA | N11 |
| DDTC144ECA | N20 |
| DDTC144EE | N20 |
| DDTC144EKA | N20 |
| DDTC144EUA | N20 |
| DDTC144GCA | N28 |
| DDTC144GE | N28 |
| DDTC144GKA | N28 |

| | |
|------------|-----|
| DDTC144GUA | N28 |
| DDTC144TCA | N19 |
| DDTC144TE | N19 |
| DDTC144TKA | N19 |
| DDTC144TUA | N19 |
| DDTC144VCA | N21 |
| DDTC144VE | N21 |
| DDTC144VKA | N21 |
| DDTC144VUA | N21 |
| DDTC144WCA | N22 |
| DDTC144WE | N22 |
| DDTC144WKA | N22 |
| DDTC144WUA | N22 |
| DDTD113EC | N60 |
| DDTD113EU | N60 |
| DDTD113ZC | N65 |
| DDTD113ZU | N65 |
| DDTD114EC | N63 |
| DDTD114EU | N63 |
| DDTD114GC | N72 |
| DDTD114GU | N72 |
| DDTD114TC | N71 |
| DDTD114TU | N71 |
| DDTD122JC | N64 |
| DDTD122JU | N64 |
| DDTD122LC | N75 |
| DDTD122LU | N75 |
| DDTD122TC | N77 |
| DDTD122TU | N77 |
| DDTD123EC | N61 |
| DDTD123EU | N61 |
| DDTD123TC | N69 |
| DDTD123TU | N69 |
| DDTD123YC | N66 |
| DDTD123YU | N66 |
| DDTD133HC | N67 |
| DDTD133HU | N67 |
| DDTD142JC | N76 |
| DDTD142JU | N76 |
| DDTD142TC | N78 |
| DDTD142TU | N78 |
| DDTD143EC | N62 |
| DDTD143EU | N62 |
| DDTD143TC | N70 |
| DDTD143TU | N70 |
| DDX113EK | C60 |
| DDX113ZK | C65 |
| DDX114EK | C63 |
| DDX114GK | C72 |
| DDX114TK | C71 |
| DDX122JK | C64 |
| DDX122LK | C75 |

| | |
|----------|-----|
| DDX122TK | C77 |
| DDX123EK | C61 |
| DDX123TK | C69 |
| DDX123YK | C66 |
| DDX133HK | C67 |
| DDX142JK | C76 |
| DDX142TK | C78 |
| DDX143EK | C62 |
| DDX143TK | C70 |
| DDZ10C | YT |
| DDZ10CS | YT |
| DDZ11C | YU |
| DDZ11CS | YU |
| DDZ12C | YV |
| DDZ12CS | YV |
| DDZ13B | KW |
| DDZ13BS | KW |
| DDZ14 | GX |
| DDZ14S | GX |
| DDZ15 | GY |
| DDZ15S | GY |
| DDZ16 | YY |
| DDZ16S | YY |
| DDZ18C | YZ |
| DDZ18CS | YZ |
| DDZ20C | PJ |
| DDZ20CS | PJ |
| DDZ22D | 2K |
| DDZ22DS | 2K |
| DDZ24C | PL |
| DDZ24CS | PL |
| DDZ27D | 2M |
| DDZ27DS | 2M |
| DDZ30D | 2N |
| DDZ30DS | 2N |
| DDZ33 | RP |
| DDZ33S | RP |
| DDZ36 | ZQ |
| DDZ36S | ZQ |
| DDZ39F | 5Q |
| DDZ39FS | 5Q |
| DDZ43 | ZR |
| DDZ43S | ZR |
| DDZ47S | ZS |
| DDZ5V1B | KM |
| DDZ5V1BS | KM |
| DDZ5V6B | KN |
| DDZ5V6BS | KN |
| DDZ6V2B | KO |
| DDZ6V2BS | KO |
| DDZ6V8C | YP |
| DDZ6V8CS | YP |

| | |
|----------|----|
| DDZ7V5C | YQ |
| DDZ7V5CS | YQ |
| DDZ8V2C | YR |
| DDZ8V2CS | YR |
| DDZ9681 | H9 |
| DDZ9682 | HA |
| DDZ9682S | HA |
| DDZ9683 | HB |
| DDZ9683S | HB |
| DDZ9684 | HC |
| DDZ9684S | HC |
| DDZ9685 | HD |
| DDZ9685S | HD |
| DDZ9686 | HE |
| DDZ9686S | HE |
| DDZ9687 | HF |
| DDZ9687S | HF |
| DDZ9688 | HG |
| DDZ9688S | HG |
| DDZ9689 | HH |
| DDZ9689S | HH |
| DDZ9690 | HJ |
| DDZ9690S | HJ |
| DDZ9691 | HK |
| DDZ9691S | HK |
| DDZ9692 | HL |
| DDZ9692S | HL |
| DDZ9693 | HM |
| DDZ9693S | HM |
| DDZ9694 | HN |
| DDZ9694S | HN |
| DDZ9696 | HP |
| DDZ9696S | HP |
| DDZ9697 | HQ |
| DDZ9697S | HQ |
| DDZ9698 | HR |
| DDZ9698S | HR |
| DDZ9699 | HS |
| DDZ9699S | HS |
| DDZ9700 | HT |
| DDZ9700S | HT |
| DDZ9701 | HU |
| DDZ9701S | HU |
| DDZ9702 | HV |
| DDZ9702S | HV |
| DDZ9703 | HW |
| DDZ9703S | HW |
| DDZ9704 | H8 |
| DDZ9705 | HY |
| DDZ9705S | HY |
| DDZ9707 | MD |
| DDZ9707S | MD |

| | |
|-----------|----|
| DDZ9708 | ME |
| DDZ9708S | ME |
| DDZ9709 | MF |
| DDZ9709S | MF |
| DDZ9711 | MH |
| DDZ9711S | MH |
| DDZ9712 | MJ |
| DDZ9712S | MJ |
| DDZ9713 | MK |
| DDZ9713S | MK |
| DDZ9714 | ML |
| DDZ9714S | ML |
| DDZ9715 | MM |
| DDZ9715S | MM |
| DDZ9716 | MN |
| DDZ9716S | MN |
| DDZ9717 | MO |
| DDZ9717S | MO |
| DDZ9V1C | YS |
| DDZ9V1CS | YS |
| DDZX10C | YT |
| DDZX10CTS | YT |
| DDZX11C | YU |
| DDZX11CTS | YU |
| DDZX12C | YV |
| DDZX12CTS | YV |
| DDZX13B | KW |
| DDZX13BTS | KW |
| DDZX14 | GX |
| DDZX14TS | GX |
| DDZX15 | GY |
| DDZX15TS | GY |
| DDZX16 | YY |
| DDZX16TS | YY |
| DDZX18C | YZ |
| DDZX18CTS | YZ |
| DDZX20C | PJ |
| DDZX20CTS | PJ |
| DDZX22D | 2K |
| DDZX22DTS | 2K |
| DDZX24C | PL |
| DDZX24CTS | PL |
| DDZX27D | 2M |
| DDZX27DTS | 2M |
| DDZX30D | 2N |
| DDZX30DTS | 2N |
| DDZX33 | RP |
| DDZX33TS | RP |
| DDZX36 | ZQ |
| DDZX36TS | ZQ |
| DDZX39F | 5Q |
| DDZX39FTS | 5Q |

| | |
|------------|-----|
| DDZX43 | ZR |
| DDZX43TS | ZR |
| DDZX5V1B | KM |
| DDZX5V1BTS | KM |
| DDZX5V6B | KN |
| DDZX5V6BTS | KN |
| DDZX6V2B | KO |
| DDZX6V2BTS | KO |
| DDZX6V8C | YP |
| DDZX6V8CTS | YP |
| DDZX7V5C | YQ |
| DDZX7V5CTS | YQ |
| DDZX8V2C | YR |
| DDZX8V2CTS | YR |
| DDZX9682TS | HA |
| DDZX9683TS | HB |
| DDZX9684TS | HC |
| DDZX9685TS | HD |
| DDZX9686TS | HE |
| DDZX9687TS | HF |
| DDZX9688TS | HG |
| DDZX9689TS | HH |
| DDZX9690TS | HJ |
| DDZX9691TS | HK |
| DDZX9692TS | HL |
| DDZX9693TS | HM |
| DDZX9694TS | HN |
| DDZX9696TS | HP |
| DDZX9697TS | HQ |
| DDZX9698TS | HR |
| DDZX9699TS | HS |
| DDZX9700TS | HT |
| DDZX9701TS | HU |
| DDZX9702TS | HV |
| DDZX9703TS | HW |
| DDZX9705TS | HY |
| DDZX9707TS | MD |
| DDZX9708TS | ME |
| DDZX9709TS | MF |
| DDZX9711TS | MH |
| DDZX9712TS | MJ |
| DDZX9713TS | MK |
| DDZX9714TS | ML |
| DDZX9715TS | MM |
| DDZX9716TS | MN |
| DDZX9717TS | MO |
| DDZX9V1C | YS |
| DDZX9V1CTS | YS |
| DFLR1200 | F12 |
| DFLR1400 | F14 |
| DFLS1100 | F09 |
| DFLS1150 | F07 |

| | |
|-----------|-------------|
| DFLS1200 | F08 |
| DFLS120L | F02 |
| DFLS130 | F01 |
| DFLS130L | F03 |
| DFLS140 | F04 |
| DFLS140L | F06 |
| DFLS160 | F17 |
| DFLS220L | F02A |
| DFLS230 | F01A |
| DFLS230L | F03A |
| DFLS230LH | F03H |
| DFLS240 | F04A |
| DFLS240L | F06A |
| DFLT10A | FAX |
| DFLT11A | FAZ |
| DFLT12A | FBE |
| DFLT13A | FBG |
| DFLT14A | FBK |
| DFLT15A | FBM |
| DFLT16A | FBP |
| DFLT17A | FBR |
| DFLT18A | FBT |
| DFLT20A | FBV |
| DFLT22A | FBX |
| DFLT24A | FBZ |
| DFLT26A | FCE |
| DFLT27A | FCF |
| DFLT28A | FCG |
| DFLT30A | FCK |
| DFLT33A | FCM |
| DFLT36A | FCP |
| DFLT40A | FCR |
| DFLT43A | FCT |
| DFLT45A | FCV |
| DFLT48A | FCX |
| DFLT51A | FCZ |
| DFLT5V0A | FAE |
| DFLT6V0A | FAG |
| DFLT6V5A | FAK |
| DFLT7V0A | FAM |
| DFLT7V5A | FAP |
| DFLT8V0A | FAR |
| DFLT8V5A | FAT |
| DFLT9V0A | FAV |
| DFLU1200 | F15 |
| DFLU1400 | F16 |
| DFLZ10 | FHU |
| DFLZ11 | FHV |
| DFLZ12 | FHW |
| DFLZ13 | FHX |
| DFLZ15 | FHZ |
| DFLZ16 | FJA |

| | |
|--------------|-----|
| DFLZ18 | FJF |
| DFLZ20 | FJG |
| DFLZ22 | FJK |
| DFLZ24 | FJL |
| DFLZ27 | FJN |
| DFLZ30 | FJQ |
| DFLZ33 | FJR |
| DFLZ36 | FJS |
| DFLZ39 | FJT |
| DFLZ5V1 | FHK |
| DFLZ5V6 | FHL |
| DFLZ6V2 | FHN |
| DFLZ6V8 | FHO |
| DFLZ7V5 | FHQ |
| DFLZ8V2 | FHR |
| DFLZ9V1 | FHT |
| DIMD10A | C73 |
| DLP05LC | A05 |
| DLP3V3DTZ | A07 |
| DLPA006 | JAD |
| DLPD3V3LC | A02 |
| DLPT05 | A01 |
| DM15T7V5 | GDK |
| DMC2004DWK | CAB |
| DMC2004LPK | C1 |
| DMC2004VK | CAB |
| DMMT3904W | K4A |
| DMMT3906 | K3Q |
| DMMT3906W | K4B |
| DMMT5401 | K4S |
| DMMT5551 | K4R |
| DMMT5551S | K4T |
| DMN2004DMK | NAB |
| DMN2004DWK | NAB |
| DMN2004K | NAB |
| DMN2004VK | NAB |
| DMN2005DLP4K | DL |
| DMN2005K | DM |
| DMN2005LP4K | DN |
| DMN2005LPK | DM |
| DMN2112SN | NS1 |
| DMN2114SN | NS2 |
| DMN32D2LV | DV |
| DMN5010VAK | KAC |
| DMN5L06 | K5L |
| DMN5L06DMK | DAB |
| DMN5L06DW | K5L |
| DMN5L06DWK | DAB |
| DMN5L06K | DAB |
| DMN5L06T | K5L |
| DMN5L06V | KAH |
| DMN5L06VA | KAG |

| | |
|------------|-------------|
| DMN5L06VAK | KAE |
| DMN5L06VK | KAB |
| DMN5L06W | K5L |
| DMN5L06WK | DAB |
| DMN601DMK | K7K |
| DMN601DWK | K7K |
| DMN601K | K7K |
| DMN601TK | K7K |
| DMN601VK | K7K |
| DMN601WK | K7K |
| DMP2004DWK | PAB |
| DMP2012SN | PS1 |
| DMP2104LP | PA |
| DMP2104V | DMV |
| DMP3030SN | PS2 |
| DN350T05 | K3S |
| DNBT8105 | K81 |
| DPBT8105 | K82 |
| DRDN005W | RD07 |
| DRDN010W | RD01 |
| DRDNB16W | RD03 |
| DRDNB21D | RD08 |
| DRDNB26W | RD04 |
| DRDP006W | RD02 |
| DRDPB16W | RD05 |
| DRDPB26W | RD06 |
| DVR1V8W | VR01 |
| DVR2V5W | VR02 |
| DVR3V3W | VR03 |
| DVR5V0W | VR04 |
| DVRN6056 | AH1 |
| DZ23C10 | KVF |
| DZ23C11 | KVG |
| DZ23C12 | KVH |
| DZ23C13 | KVI |
| DZ23C15 | KVJ |
| DZ23C16 | KVK |
| DZ23C18 | KVL |
| DZ23C20 | KVM |
| DZ23C22 | KVN |
| DZ23C24 | KVO |
| DZ23C27 | KVP |
| DZ23C2V7 | KV1 |
| DZ23C30 | KVQ |
| DZ23C33 | KVR |
| DZ23C36 | KVS |
| DZ23C39 | KVT |
| DZ23C3V0 | KV2 |
| DZ23C3V3 | KV3 |
| DZ23C3V6 | KV4 |
| DZ23C3V9 | KV5 |
| DZ23C43 | KVU |

| | | |
|--------------|-------------|-----------------|
| DZ23C47 | KVV | V31 |
| DZ23C4V3 | KV6 | |
| DZ23C4V7 | KV7 | |
| DZ23C51 | KVW | V32 |
| DZ23C5V1 | KV8 | |
| DZ23C5V6 | KV9 | |
| DZ23C6V2 | KVA | |
| DZ23C6V8 | KVB | |
| DZ23C7V5 | KVC | |
| DZ23C8V2 | KVD | |
| DZ23C9V1 | KVE | |
| DZT3150 | N52 | DZT3150 |
| DZT851 | N66 | DZT851 |
| DZT853 | N61 | DZT853 |
| DZT951 | P56 | DZT951 |
| HBDM60V600W | HB01 | |
| IMT4 | KX7 | |
| IMX8 | KX8 | |
| LBN150B01 | PM4 | |
| LMN200B01 | PM1 | |
| LMN200B02 | PM2 | |
| LMN400B01 | PM3 | |
| LMN400E01 | PM5 | |
| MIMD10A | C73 | |
| MMBD2004S | KA9 | KAE |
| MMBD2004SW | KA9 | |
| MMBD3004BRM | KAE | |
| MMBD3004S | KAE | |
| MMBD4148 | KA2 | KA6, K5D |
| MMBD4148TW | KA2 | |
| MMBD4148W | KA2 | |
| MMBD4448 | KA3 | |
| MMBD4448DW | KA3 | |
| MMBD4448H | KA3 | |
| MMBD4448HADW | KA6 | |
| MMBD4448HAQW | KA5 | |
| MMBD4448HCDW | KA7 | |
| MMBD4448HCQW | KA4 | |
| MMBD4448HSDW | KAB | |
| MMBD4448HT | A3 | |
| MMBD4448HTA | A6 | |
| MMBD4448HTC | A7 | |
| MMBD4448HTM | KAD | |
| MMBD4448HTS | AB | |
| MMBD4448HTW | KAA | |
| MMBD4448HW | KA1 | |
| MMBD4448V | KAL | |
| MMBD4448W | KA3 | |
| MMBD7000 | KJH | |
| MMBD914 | K5D | KA6, KA2 |
| MMBF170 | K6Z | |
| MMBT123S | K6D | |

| | | |
|-------------|-----|-----|
| MMBT2222A | K1P | |
| MMBT2222AT | 1P | |
| MMBT2907A | K2F | |
| MMBT2907AT | 2F | |
| MMBT3904 | K1N | |
| MMBT3904T | 1N | |
| MMBT3906 | K3N | |
| MMBT3906T | 3N | |
| MMBT4124 | K1B | |
| MMBT4126 | K2B | |
| MMBT4401 | K2X | |
| MMBT4401T | 2X | |
| MMBT4403 | K2T | |
| MMBT4403T | 2T | |
| MMBT5401 | K4M | |
| MMBT5551 | K4N | |
| MMBT6427 | K1D | |
| MMBTA05 | K1H | K1G |
| MMBTA06 | K1G | |
| MMBTA13 | K2D | K3D |
| MMBTA14 | K3D | |
| MMBTA28 | K6R | |
| MMBTA42 | K3M | |
| MMBTA55 | K2H | K2G |
| MMBTA56 | K2G | |
| MMBTA63 | K2E | K3E |
| MMBTA64 | K3E | |
| MMBTA92 | K3R | |
| MMBTH10 | K3H | K3Y |
| MMBTH24 | K3Z | |
| MMBZ10VAL | K9E | |
| MMBZ15VAL | K9K | |
| MMBZ15VDL | KVJ | |
| MMBZ18VAL | K9L | |
| MMBZ20VAL | K9N | |
| MMBZ27VAL | K9Q | |
| MMBZ27VCL | KVP | |
| MMBZ33VAL | K9T | |
| MMBZ5221B | KC1 | |
| MMBZ5221BS | KC1 | |
| MMBZ5221BT | KC1 | |
| MMBZ5221BTS | KSB | |
| MMBZ5221BW | KC1 | |
| MMBZ5222B | KC2 | |
| MMBZ5223B | KC3 | |
| MMBZ5223BS | KC3 | |
| MMBZ5223BT | KC3 | |
| MMBZ5223BTS | KSC | |
| MMBZ5223BW | KC3 | |
| MMBZ5225B | KC5 | |
| MMBZ5225BS | KC5 | |
| MMBZ5225BT | KC5 | |

| | | |
|-------------|-----|----|
| MMBZ5225BTS | KSD | |
| MMBZ5225BW | KC5 | |
| MMBZ5226B | KG1 | |
| MMBZ5226BS | KG1 | |
| MMBZ5226BT | KG1 | |
| MMBZ5226BTS | KSE | |
| MMBZ5226BW | KG1 | |
| MMBZ5227B | KG2 | |
| MMBZ5227BS | KG2 | |
| MMBZ5227BT | KG2 | |
| MMBZ5227BTS | KSF | |
| MMBZ5227BW | KG2 | |
| MMBZ5228B | KG3 | |
| MMBZ5228BS | KG3 | |
| MMBZ5228BT | KG3 | |
| MMBZ5228BTS | KSG | |
| MMBZ5228BW | KG3 | |
| MMBZ5229B | KG4 | |
| MMBZ5229BS | KG4 | |
| MMBZ5229BT | KG4 | |
| MMBZ5229BTS | KSH | |
| MMBZ5229BW | KG4 | |
| MMBZ5230B | KG5 | 8E |
| MMBZ5230BS | KG5 | |
| MMBZ5230BT | KG5 | |
| MMBZ5230BTS | KS1 | |
| MMBZ5230BW | KG5 | |
| MMBZ5231B | KE1 | |
| MMBZ5231BS | KE1 | |
| MMBZ5231BT | KE1 | |
| MMBZ5231BTS | KS2 | |
| MMBZ5231BW | KE1 | |
| MMBZ5232B | KE2 | |
| MMBZ5232BS | KE2 | |
| MMBZ5232BT | KE2 | |
| MMBZ5232BTS | KS3 | |
| MMBZ5232BW | KE2 | |
| MMBZ5233B | KE3 | |
| MMBZ5233BS | KE3 | |
| MMBZ5233BTS | KRF | |
| MMBZ5234B | KE4 | |
| MMBZ5234BS | KE4 | |
| MMBZ5234BT | KE4 | |
| MMBZ5234BTS | KS4 | |
| MMBZ5234BW | KE4 | |
| MMBZ5235B | KE5 | |
| MMBZ5235BS | KE5 | |
| MMBZ5235BT | KE5 | |
| MMBZ5235BTS | KS5 | |
| MMBZ5235BW | KE5 | |
| MMBZ5236B | KF1 | 8L |
| MMBZ5236BS | KF1 | |

| | |
|-------------|-----|
| MMBZ5236BT | KF1 |
| MMBZ5236BTS | KS6 |
| MMBZ5236BW | KF1 |
| MMBZ5237B | KF2 |
| MMBZ5237BS | KF2 |
| MMBZ5237BT | KF2 |
| MMBZ5237BTS | KS7 |
| MMBZ5237BW | KF2 |
| MMBZ5238B | KF3 |
| MMBZ5238BS | KF3 |
| MMBZ5238BTS | KRG |
| MMBZ5239B | KF4 |
| MMBZ5239BS | KF4 |
| MMBZ5239BT | KF4 |
| MMBZ5239BTS | KS8 |
| MMBZ5239BW | KF4 |
| MMBZ5240B | KF5 |
| MMBZ5240BS | KF5 |
| MMBZ5240BT | KF5 |
| MMBZ5240BTS | KS9 |
| MMBZ5240BW | KF5 |
| MMBZ5241B | KH1 |
| MMBZ5241BS | KH1 |
| MMBZ5241BT | KH1 |
| MMBZ5241BTS | KR1 |
| MMBZ5241BW | KH1 |
| MMBZ5242B | KH2 |
| MMBZ5242BS | KH2 |
| MMBZ5242BT | KH2 |
| MMBZ5242BTS | KR2 |
| MMBZ5242BW | KH2 |
| MMBZ5243B | KH3 |
| MMBZ5243BS | KH3 |
| MMBZ5243BT | KH3 |
| MMBZ5243BTS | KR3 |
| MMBZ5243BW | KH3 |
| MMBZ5244B | KH4 |
| MMBZ5244BS | KH4 |
| MMBZ5245B | KH5 |
| MMBZ5245BS | KH5 |
| MMBZ5245BT | KH5 |
| MMBZ5245BTS | KR4 |
| MMBZ5245BW | KH5 |
| MMBZ5246B | KJ1 |
| MMBZ5246BS | KJ1 |
| MMBZ5246BT | KJ1 |
| MMBZ5246BTS | KR5 |
| MMBZ5246BW | KJ1 |
| MMBZ5247B | KJ2 |
| MMBZ5247BS | KJ2 |
| MMBZ5248B | KJ3 |
| MMBZ5248BS | KJ3 |

| | |
|-------------|-----|
| MMBZ5248BT | KJ3 |
| MMBZ5248BTS | KR6 |
| MMBZ5248BW | KJ3 |
| MMBZ5249B | KJ4 |
| MMBZ5249BS | KJ4 |
| MMBZ5250B | KJ5 |
| MMBZ5250BS | KJ5 |
| MMBZ5250BT | KJ5 |
| MMBZ5250BTS | KR7 |
| MMBZ5250BW | KJ5 |
| MMBZ5251B | KK1 |
| MMBZ5251BS | KK1 |
| MMBZ5251BT | KK1 |
| MMBZ5251BTS | KR8 |
| MMBZ5251BW | KK1 |
| MMBZ5252B | KK2 |
| MMBZ5252BS | KK2 |
| MMBZ5252BT | KK2 |
| MMBZ5252BTS | KR9 |
| MMBZ5252BW | KK2 |
| MMBZ5253B | KK3 |
| MMBZ5253BS | KK3 |
| MMBZ5254B | KK4 |
| MMBZ5254BS | KK4 |
| MMBZ5254BT | KK4 |
| MMBZ5254BTS | KRA |
| MMBZ5254BW | KK4 |
| MMBZ5255B | KK5 |
| MMBZ5255BS | KK5 |
| MMBZ5255BT | KK5 |
| MMBZ5255BTS | KRH |
| MMBZ5255BW | KK5 |
| MMBZ5256B | KM1 |
| MMBZ5256BS | KM1 |
| MMBZ5256BT | KM1 |
| MMBZ5256BTS | KRB |
| MMBZ5256BW | KM1 |
| MMBZ5257B | KM2 |
| MMBZ5257BS | KM2 |
| MMBZ5257BT | KM2 |
| MMBZ5257BTS | KRC |
| MMBZ5257BW | KM2 |
| MMBZ5258B | KM3 |
| MMBZ5258BS | KM3 |
| MMBZ5258BT | KM3 |
| MMBZ5258BTS | KRD |
| MMBZ5258BW | KM3 |
| MMBZ5259B | KM4 |
| MMBZ5259BS | KM4 |
| MMBZ5259BT | KM4 |
| MMBZ5259BTS | KRE |
| MMBZ5259BW | KM4 |

| | | |
|------------|-----|-----------|
| MMBZ5V6AL | K9A | |
| MMBZ6V8AL | K9C | |
| MMBZ9V1AL | K9D | |
| MMDT2222A | K1P | |
| MMDT2222V | KAT | |
| MMDT2227 | K27 | |
| MMDT2227M | K27 | |
| MMDT2907A | K2F | |
| MMDT2907V | KAU | |
| MMDT3904 | K6N | |
| MMDT3904V | KAP | |
| MMDT3906 | K3N | |
| MMDT3906V | KAR | |
| MMDT3946 | K46 | |
| MMDT4124 | K1B | |
| MMDT4126 | K2B | |
| MMDT4146 | K12 | |
| MMDT4401 | K2X | |
| MMDT4403 | K2T | |
| MMDT4413 | K13 | |
| MMDT5401 | K4M | |
| MMDT5451 | KNM | |
| MMDT5551 | K4N | |
| MMDTA42 | K3M | |
| MMST2222A | K3P | |
| MMST2907A | K3F | |
| MMST3904 | K2N | |
| MMST3906 | K5N | |
| MMST4124 | K1B | |
| MMST4126 | K2B | |
| MMST4401 | K3X | |
| MMST4403 | K3T | |
| MMST5401 | K4M | |
| MMST5551 | K4N | |
| MMST6427 | K1D | |
| MMSTA05 | K1H | K1G |
| MMSTA06 | K1G | |
| MMSTA13 | K2D | K3D |
| MMSTA14 | K3D | |
| MMSTA42 | K3M | |
| MMSTA55 | K2H | K2G |
| MMSTA56 | K2G | |
| MMSTA63 | K2E | K3E |
| MMSTA64 | K3E | |
| MMSTA92 | K3R | |
| MMSZ5221B | C1 | <u>C1</u> |
| MMSZ5221BS | C1 | |
| MMSZ5223B | C3 | <u>C3</u> |
| MMSZ5223BS | C3 | |
| MMSZ5225B | C5 | <u>C5</u> |
| MMSZ5225BS | C5 | |
| MMSZ5226B | G1 | <u>G1</u> |

| | | |
|------------|----|-----------|
| MMSZ5226BS | G1 | |
| MMSZ5227B | G2 | <u>G2</u> |
| MMSZ5227BS | G2 | |
| MMSZ5228B | G3 | <u>G3</u> |
| MMSZ5228BS | G3 | |
| MMSZ5229B | G4 | <u>G4</u> |
| MMSZ5229BS | G4 | |
| MMSZ5230B | G5 | <u>G5</u> |
| MMSZ5230BS | G5 | |
| MMSZ5231B | E1 | <u>E1</u> |
| MMSZ5231BS | E1 | |
| MMSZ5232B | E2 | <u>E2</u> |
| MMSZ5232BS | E2 | |
| MMSZ5233B | E3 | <u>E3</u> |
| MMSZ5233BS | E3 | |
| MMSZ5234B | E4 | <u>E4</u> |
| MMSZ5234BS | E4 | |
| MMSZ5235B | E5 | <u>E5</u> |
| MMSZ5235BS | E5 | |
| MMSZ5236B | F1 | <u>F1</u> |
| MMSZ5236BS | F1 | |
| MMSZ5237B | F2 | <u>F2</u> |
| MMSZ5237BS | F2 | |
| MMSZ5238B | F3 | <u>F3</u> |
| MMSZ5238BS | F3 | |
| MMSZ5239B | F4 | <u>F4</u> |
| MMSZ5239BS | F4 | |
| MMSZ5240B | F5 | <u>F5</u> |
| MMSZ5240BS | F5 | |
| MMSZ5241B | H1 | <u>H1</u> |
| MMSZ5241BS | H1 | |
| MMSZ5242B | H2 | <u>H2</u> |
| MMSZ5242BS | H2 | |
| MMSZ5243B | H3 | <u>H3</u> |
| MMSZ5243BS | H3 | |
| MMSZ5245B | H5 | <u>H5</u> |
| MMSZ5245BS | H5 | |
| MMSZ5246B | J1 | <u>J1</u> |
| MMSZ5246BS | J1 | |
| MMSZ5248B | J3 | <u>J3</u> |
| MMSZ5248BS | J3 | |
| MMSZ5250B | J5 | <u>J5</u> |
| MMSZ5250BS | J5 | |
| MMSZ5251B | K1 | <u>K1</u> |
| MMSZ5251BS | K1 | |
| MMSZ5252B | K2 | <u>K2</u> |
| MMSZ5252BS | K2 | |
| MMSZ5254B | K4 | <u>K4</u> |
| MMSZ5254BS | K4 | |
| MMSZ5255B | K5 | <u>K5</u> |
| MMSZ5255BS | K5 | |
| MMSZ5256B | M1 | <u>M1</u> |

| | | |
|-------------|-----------------|------------------|
| MMSZ5256BS | M1 | |
| MMSZ5257B | M2 | <u>M2</u> |
| MMSZ5257BS | M2 | |
| MMSZ5258B | M3 | <u>M3</u> |
| MMSZ5258BS | M3 | |
| MMSZ5259B | M4 | <u>M4</u> |
| MMSZ5259BS | M4 | |
| MMTT2222A | KX2 | |
| NMSD200B01 | SR1 | |
| PD3S0230 | 36 | |
| PD3S120L | 34 | |
| PD3S130H | 32 | |
| PD3S130L | 31 | |
| PD3S140 | 33 | |
| PD3S160 | 37 | 3S7 |
| PD3Z284C10 | 0Q | Z0Q |
| PD3Z284C11 | 0R | Z0R |
| PD3Z284C12 | 0S | Z0S |
| PD3Z284C5V1 | 0G | Z0G |
| PD3Z284C5V6 | 0H | Z0H |
| PD3Z284C6V2 | 0K | Z0K |
| PD3Z284C6V8 | 0L | Z0L |
| PD3Z284C7V5 | 0M | Z0M |
| PD3Z284C8V2 | 0N | Z0N |
| PD3Z284C9V1 | 0P | Z0P |
| PDR3G | R3G | |
| PDR5G | R5G | |
| PDS1040 | S1040 | |
| PDS1040CTL | S1040CTL | |
| PDS1040L | S1040L | |
| PDS1045 | S1045 | |
| PDS3100 | S3100 | |
| PDS3200 | S3200 | |
| PDS340 | S340 | |
| PDS360 | S360 | |
| PDS4150 | S4150 | |
| PDS5100 | S5100 | |
| PDS5100H | S5100H | |
| PDS540 | S540 | |
| PDS560 | S560 | |
| PDS760 | S760 | |
| PDS835L | S835L | |
| PDU340 | U340 | |
| PDU420 | U420 | |
| PDU540 | U540 | |
| PDU620 | U620 | |
| PDU620CT | U620CT | |
| PZX363C3V9 | KZZ | |
| QSBT40 | KST | |
| QZX363C12 | KFF | |
| QZX363C15 | KJF | |
| QZX363C20 | KMF | |

| | | |
|-------------|------------------|---------------|
| QZX363C5V6 | K5F | |
| QZX363C6V8 | K6F | |
| QZX563C6V8C | <u>CB</u> | |
| S8KC | S8KC | |
| S8MC | S8MC | |
| SBR0220LP | 22 | |
| SBR0220T5 | 22 | |
| SBR0230T5 | 23 | |
| SBR02M30LP | 23 | |
| SBR02U100LP | <u>2A</u> | 2A |
| SBR05U20LP | 52 | |
| SBR130S3 | D3 | JE |
| SBR140S3 | D4 | |
| SBR2A30P1 | 2A3 | |
| SBR2A40P1 | 2A4 | |
| SBR2M30P1 | 2M3 | |
| SBR2U30P1 | 2U3 | |
| SBR3M30P1 | 3M3 | |
| SBR3U30P1 | 3U3 | |
| SD101AW | S1 | SK |
| SD101AWS | S1 | SK |
| SD101BW | S2 | SK |
| SD101BWS | S2 | SK |
| SD101CW | S3 | SK |
| SD101CWS | S3 | SK, SC |
| SD103ASDM | KSU | |
| SD103ATW | KLL | |
| SD103AW | S4 | |
| SD103AWS | S4 | |
| SD103BW | S5 | S4 |
| SD103BWS | S5 | S4 |
| SD103CW | S6 | S4, S5 |
| SD103CWS | S6 | S4, S5 |
| SD107WS | SG | |
| SDA004 | JAB | |
| SDA006 | JAC | |
| SDM03MT40 | KSR | |
| SDM03MT40A | KSK | |
| SDM03U40 | LK | |
| SDM100K30L | VF | |
| SDM10K45 | LG | |
| SDM10M45SD | KLG | |
| SDM10P45 | LG | |
| SDM10U45 | LJ | |
| SDM10U45LP | LJ | |
| SDM20E30C | K2M | |
| SDM20E40C | KSS | |
| SDM20N30C | K2M | |
| SDM20N40A | KLP | |
| SDM20U30 | LM | |
| SDM20U30LP | LM | |
| SDM20U40 | S4 | |

| | |
|-------------|------------|
| SDM40E20LS | KSW |
| SDM6CC | ST |
| SDMG0340L | KSM |
| SDMG0340LA | KSQ |
| SDMG0340LC | KSP |
| SDMG0340LS | KSN |
| SDMK0340L | SR |
| SDMP0340LAT | SQ |
| SDMP0340LCT | SP |
| SDMP0340LST | SN |
| SDMP0340LT | SM |
| SMAJ100A | RZ |
| SMAJ100CA | WZ |
| SMAJ10A | HX |
| SMAJ10CA | TX |
| SMAJ110A | SE |
| SMAJ110CA | XE |
| SMAJ11A | HZ |
| SMAJ11CA | TZ |
| SMAJ120A | SG |
| SMAJ120CA | XG |
| SMAJ12A | IE |
| SMAJ12CA | UE |
| SMAJ130A | SK |
| SMAJ130CA | XK |
| SMAJ13A | IG |
| SMAJ13CA | UG |
| SMAJ14A | IK |
| SMAJ14CA | UK |
| SMAJ150A | SM |
| SMAJ150CA | XM |
| SMAJ15A | IM |
| SMAJ15CA | UM |
| SMAJ160A | SP |
| SMAJ160CA | XP |
| SMAJ16A | IP |
| SMAJ16CA | UP |
| SMAJ170A | SR |
| SMAJ170CA | XR |
| SMAJ17A | IR |
| SMAJ17CA | UR |
| SMAJ18A | IT |
| SMAJ18CA | UT |
| SMAJ20A | IV |
| SMAJ20CA | UV |
| SMAJ22A | IX |
| SMAJ22CA | UX |
| SMAJ24A | IZ |
| SMAJ24CA | UZ |
| SMAJ26A | JE |
| SMAJ26CA | VE |
| SMAJ28A | JG |

| | |
|-----------|-----|
| SMAJ28CA | VG |
| SMAJ30A | JK |
| SMAJ30CA | VK |
| SMAJ33A | JM |
| SMAJ33CA | VM |
| SMAJ36A | JP |
| SMAJ36CA | VP |
| SMAJ40A | JR |
| SMAJ40CA | VR |
| SMAJ43A | JT |
| SMAJ43CA | VT |
| SMAJ45A | JV |
| SMAJ45CA | VV |
| SMAJ48A | JX |
| SMAJ48CA | VX |
| SMAJ5.0A | HE |
| SMAJ5.0CA | TE |
| SMAJ51A | JZ |
| SMAJ51CA | VZ |
| SMAJ54A | RE |
| SMAJ54CA | WE |
| SMAJ58A | RG |
| SMAJ58CA | WG |
| SMAJ6.0A | HG |
| SMAJ6.0CA | TG |
| SMAJ6.5A | HK |
| SMAJ6.5CA | TK |
| SMAJ60A | RK |
| SMAJ60CA | WK |
| SMAJ64A | RM |
| SMAJ64CA | WM |
| SMAJ7.0A | HM |
| SMAJ7.0CA | TM |
| SMAJ7.5A | HP |
| SMAJ7.5CA | TP |
| SMAJ70A | RP |
| SMAJ70CA | WP |
| SMAJ75A | RR |
| SMAJ75CA | WR |
| SMAJ78A | RT |
| SMAJ78CA | WT |
| SMAJ8.0A | HR |
| SMAJ8.0CA | TR |
| SMAJ8.5A | HT |
| SMAJ8.5CA | TT |
| SMAJ85A | RV |
| SMAJ85CA | WV |
| SMAJ9.0A | HV |
| SMAJ9.0CA | TV |
| SMAJ90A | RX |
| SMAJ90CA | WX |
| SMAT70A | KEX |

| | |
|-----------|-----|
| SMAZ10 | ZHU |
| SMAZ12 | ZHW |
| SMAZ15 | ZHZ |
| SMAZ16 | ZJA |
| SMAZ18 | ZJF |
| SMAZ20 | ZJG |
| SMAZ22 | ZJK |
| SMAZ24 | ZJL |
| SMAZ27 | ZJN |
| SMAZ30 | ZJQ |
| SMAZ33 | ZJR |
| SMAZ36 | ZJS |
| SMAZ39 | ZJT |
| SMAZ5V1 | ZHK |
| SMAZ5V6 | ZHL |
| SMAZ6V2 | ZHN |
| SMAZ6V8 | ZHO |
| SMAZ7V5 | ZHQ |
| SMAZ8V2 | ZHR |
| SMAZ9V1 | ZHT |
| SMBJ100A | NZ |
| SMBJ100CA | DZ |
| SMBJ10A | KX |
| SMBJ10CA | AX |
| SMBJ110A | PE |
| SMBJ110CA | EE |
| SMBJ11A | KZ |
| SMBJ11CA | AZ |
| SMBJ120A | PG |
| SMBJ120CA | EG |
| SMBJ12A | LE |
| SMBJ12CA | BE |
| SMBJ130A | PK |
| SMBJ130CA | EK |
| SMBJ13A | LG |
| SMBJ13CA | BG |
| SMBJ14A | LK |
| SMBJ14CA | BK |
| SMBJ150A | PM |
| SMBJ150CA | EM |
| SMBJ15A | LM |
| SMBJ15CA | BM |
| SMBJ160A | PP |
| SMBJ160CA | FP |
| SMBJ16A | LP |
| SMBJ16CA | BP |
| SMBJ170A | PR |
| SMBJ170CA | ER |
| SMBJ17A | LR |
| SMBJ17CA | BR |
| SMBJ18A | LT |
| SMBJ18CA | BT |

| | |
|-----------|----|
| SMBJ20A | LV |
| SMBJ20CA | BV |
| SMBJ22A | LX |
| SMBJ22CA | BX |
| SMBJ24A | LZ |
| SMBJ24CA | BZ |
| SMBJ26A | ME |
| SMBJ26CA | CE |
| SMBJ28A | MG |
| SMBJ28CA | CG |
| SMBJ30A | MK |
| SMBJ30CA | CK |
| SMBJ33A | MM |
| SMBJ33CA | CM |
| SMBJ36A | MP |
| SMBJ36CA | CP |
| SMBJ40A | MR |
| SMBJ40CA | CR |
| SMBJ43A | MT |
| SMBJ43CA | CT |
| SMBJ45A | MV |
| SMBJ45CA | CV |
| SMBJ48A | MX |
| SMBJ48CA | CX |
| SMBJ5.0A | KE |
| SMBJ5.0CA | AE |
| SMBJ51A | MZ |
| SMBJ51CA | CZ |
| SMBJ54A | NE |
| SMBJ54CA | DE |
| SMBJ58A | NG |
| SMBJ58CA | DG |
| SMBJ6.0A | KG |
| SMBJ6.0CA | AG |
| SMBJ6.5A | KK |
| SMBJ6.5CA | AK |
| SMBJ60A | NK |
| SMBJ60CA | DK |
| SMBJ64A | NM |
| SMBJ64CA | DM |
| SMBJ7.0A | KM |
| SMBJ7.0CA | AM |
| SMBJ7.5A | KP |
| SMBJ7.5CA | AP |
| SMBJ70A | NP |
| SMBJ70CA | DP |
| SMBJ75A | NR |
| SMBJ75CA | DR |
| SMBJ78A | NT |
| SMBJ78CA | DT |
| SMBJ8.0A | KR |
| SMBJ8.0CA | AR |

| | |
|-----------|-----|
| SMBJ8.5A | KT |
| SMBJ8.5CA | AT |
| SMBJ85A | NV |
| SMBJ85CA | DV |
| SMBJ9.0A | KV |
| SMBJ9.0CA | AV |
| SMBJ90A | NX |
| SMBJ90CA | DX |
| SMBT70A | NPX |
| SMCJ100A | GGZ |
| SMCJ100CA | BGZ |
| SMCJ10A | GDX |
| SMCJ10CA | BDX |
| SMCJ110A | GHE |
| SMCJ110CA | BHE |
| SMCJ11A | GDZ |
| SMCJ11CA | BDZ |
| SMCJ120A | GHG |
| SMCJ120CA | BHG |
| SMCJ12A | GEE |
| SMCJ12CA | BEE |
| SMCJ130A | GHK |
| SMCJ130CA | BHK |
| SMCJ13A | GEG |
| SMCJ13CA | BEG |
| SMCJ14A | GEK |
| SMCJ14CA | BEK |
| SMCJ150A | GHM |
| SMCJ150CA | BHM |
| SMCJ15A | GEM |
| SMCJ15CA | BEM |
| SMCJ160A | GHP |
| SMCJ160CA | BHP |
| SMCJ16A | GEP |
| SMCJ16CA | BEP |
| SMCJ170A | GHR |
| SMCJ170CA | BHR |
| SMCJ17A | GER |
| SMCJ17CA | BER |
| SMCJ18A | GET |
| SMCJ18CA | BET |
| SMCJ20A | GEV |
| SMCJ20CA | BEV |
| SMCJ22A | GEX |
| SMCJ22CA | BEX |
| SMCJ24A | GEZ |
| SMCJ24CA | BEZ |
| SMCJ26A | GFE |
| SMCJ26CA | BFE |
| SMCJ28A | GFG |
| SMCJ28CA | BFG |
| SMCJ30A | GFK |

| | |
|-----------|--------------|
| SMCJ30CA | BFK |
| SMCJ33A | GFM |
| SMCJ33CA | BFM |
| SMCJ36A | GFP |
| SMCJ36CA | BFP |
| SMCJ40A | GFR |
| SMCJ40CA | BFR |
| SMCJ43A | GFT |
| SMCJ43CA | BFT |
| SMCJ45A | GFV |
| SMCJ45CA | BFV |
| SMCJ48A | GFX |
| SMCJ48CA | BFX |
| SMCJ5.0A | GDE |
| SMCJ5.0CA | BDE |
| SMCJ51A | GFZ |
| SMCJ51CA | BFZ |
| SMCJ54A | GGE |
| SMCJ54CA | BGE |
| SMCJ58A | GGG |
| SMCJ58CA | BGG |
| SMCJ6.0A | GDG |
| SMCJ6.0CA | BDG |
| SMCJ6.5A | GDK |
| SMCJ6.5CA | BDK |
| SMCJ60A | GGK |
| SMCJ60CA | BGK |
| SMCJ64A | GGM |
| SMCJ64CA | BGM |
| SMCJ7.0A | GDM |
| SMCJ7.0CA | BDM |
| SMCJ7.5A | GDP |
| SMCJ7.5CA | BDP |
| SMCJ70A | GGP |
| SMCJ70CA | BGP |
| SMCJ75A | GGR |
| SMCJ75CA | BGR |
| SMCJ78A | GGT |
| SMCJ78CA | BGT |
| SMCJ8.0A | GDR |
| SMCJ8.0CA | BDR |
| SMCJ8.5A | GDT |
| SMCJ8.5CA | BDT |
| SMCJ85A | GGV |
| SMCJ85CA | BGV |
| SMCJ9.0A | GDV |
| SMCJ9.0CA | BDV |
| SMCJ90A | GGX |
| SMCJ90CA | BGX |
| T5V0S5 | EJ |
| TB064H | T064H |
| TB064L | T064L |

| | |
|-------------|--------------|
| TB064M | T064M |
| TB0720H | T072H |
| TB0720L | T072L |
| TB0720M | T072M |
| TB0900H | T090H |
| TB0900L | T090L |
| TB0900M | T090M |
| TB1100H | T110H |
| TB1100L | T110L |
| TB1100M | T110M |
| TB1300H | T130H |
| TB1300L | T130L |
| TB1300M | T130M |
| TB1500H | T150H |
| TB1500L | T150L |
| TB1500M | T150M |
| TB1800H | T180H |
| TB1800L | T180L |
| TB1800M | T180M |
| TB2300H | T230H |
| TB2300L | T230L |
| TB2300M | T230M |
| TB2600H | T260H |
| TB2600L | T260L |
| TB2600M | T260M |
| TB3100H | T310H |
| TB3100L | T310L |
| TB3100M | T310M |
| TB3500H | T350H |
| TB3500L | T350L |
| TB3500M | T350M |
| TBZ363C20V8 | KV7 |
| TBZ363C5V5 | KL1 |
| TBZ363C6V4 | KL3 |
| TBZ363C7V0 | KL5 |
| UDZ10B | BI |
| UDZ11B | BJ |
| UDZ12B | BK |
| UDZ13B | BL |
| UDZ15B | BM |
| UDZ5V6B | BC |
| UDZ6V2B | BD |
| UDZ6V8B | BE |
| UDZ7V5B | BF |
| UDZ8V2B | BG |
| UDZ9V1B | BH |