

HiPerFET Power MOSFETS

Part Type	Vdss (min) V	Id (cont) Tc=25° C A	Rds (on) Tc=25° C Ω	Ciss pF	Qg nC	trr ns	R(th)JC K/W	Pd W	Package Style
IXFR180N06	60	180*	0.005	7650	420	200	0.3	417	ISOPLUS24
IXFN340N06	60	340*	0.003	16800	600	250	0.18	694	SOT-227B
IXFH76N07-	70	76	0.012	4400	240	150	0.42	298	TO-247
IXFH76N07-	70	76	0.011	4400	240	150	0.42	298	TO-247
IXFN180N07	70	180*	0.007	9000	480	150	0.24	521	SOT-227B
IXFX180N07	70	180*	0.006	9400	420	250	0.22	568	PLUS247
IXFK180N07	70	180*	0.006	9400	420	250	0.22	568	TO-264
IXFN200N07	70	200*	0.006	9000	480	150	0.24	520	SOT-227B
IXFK110N07	70	110*	0.006	9000	480	150	0.25	500	TO-264
IXFR180N07	70	180*	0.006	9400	420	250	0.3	417	ISOPLUS24
IXFN280N07	70	280*	0.005	9400	420	200	0.22	568	SOT-227B
IXFN340N07	70	340*	0.004	12200	490	200	0.18	694	SOT-227B
IXFC80N085	85	80	0.011	4800	180	200	0.54	231	ISOPLUS22
IXFH80N085	85	80	0.009	4800	180	200	0.42	298	TO-247
IXFT80N085	85	80	0.009	4800	180	200	0.42	298	TO-268
IXFR180N08	85	180*	0.007	9100	320	250	0.3	417	ISOPLUS24
IXFK180N08	85	180*	0.007	9100	320	250	0.22	568	TO-264
IXFX180N08	85	180*	0.007	9100	320	250	0.22	568	PLUS247
IXFN280N08	85	280	0.0044	16000	600	250	0.18	694	SOT-227B
FMM75-01F	100	75	0.025	N/A	180	300	0.5	250	ISOPLUS
IXFM67N10	100	67	0.025	4500	180	200	0.42	298	TO-204
IXFH67N10	100	67	0.025	4500	180	200	0.42	298	TO-247
FMK75-01F	100	75	0.025	N/A	180	300	0.5	250	ISOPLUS
IXFH75N10	100	75	0.02	4500	180	200	0.42	298	TO-247
IXFM75N10	100	75	0.02	4500	180	200	0.42	298	TO-204
IXFH75N10Q	100	75	0.02	3700	140	200	0.42	298	TO-247
IXFT80N10Q	100	80*	0.015	4500	180	200	0.35	357	TO-268
IXFH80N10Q	100	80*	0.015	4500	180	200	0.35	357	TO-247
IXFH80N10	100	80	0.0125	4800	180	200	0.42	298	TO-247
IXFC80N10	100	100	0.0125	4800	180	200	0.54	231	ISOPLUS22
IXFT80N10	100	80	0.0125	4800	180	200	0.42	298	TO-268
IXFK100N10	100	100*	0.012	9000	360	150	0.24	500	TO-264
IXFK150N10	100	150*	0.012	9000	360	150	0.24	500	TO-264
IXFK170N10	100	170*	0.01	103000	515	175	0.22	568	TO-264
IXFN170N10	100	170*	0.01	10300	515	175	0.21	595	SOT-227B
IXFK180N10	100	180*	0.008	9100	360	250	0.22	568	TO-264
IXFN180N10	100	180*	0.008	9100	360	250	0.21	595	SOT-227B
IXFR180N10	100	165*	0.008	9400	400	250	0.3	417	ISOPLUS24
IXFE180N10	100	176*	0.008	9100	360	250	0.25	500	ISOPLUS22
IXFX180N10	100	180*	0.008	9100	360	250	0.22	568	PLUS247
IXFN230N10	100	230*	0.0065	21000	690	250	0.18	694	SOT-227B
IXFH70N15	150	70	0.028	3600	180	250	0.42	298	TO-247
IXFT70N15	150	70	0.028	3600	180	250	0.42	298	TO-268
IXFR70N15	150	67	0.028	3600	180	250	0.5	250	ISOPLUS24
IXFR80N15Q	150	75	0.0225	4600	180	200	0.4	313	ISOPLUS24
IXFT80N15Q	150	80	0.0225	4500	180	200	0.35	357	TO-268
IXFH80N15Q	150	80	0.0225	4500	180	200	0.35	357	TO-247
IXFK80N15Q	150	80	0.0225	4500	180	200	0.35	357	TO-264
IXFK150N15	150	150	0.0125	9100	360	250	0.22	568	TO-264
IXFX150N15	150	150	0.0125	9100	360	250	0.22	568	PLUS247
IXFN150N15	150	150	0.0125	9100	360	250	0.21	595	SOT-227B
IXFR150N15	150	105*	0.0125	9100	360	250	0.3	417	ISOPLUS24
IXFH42N20	200	42	0.06	4400	190	200	0.42	300	TO-247
IXFM42N20	200	42	0.06	4400	190	200	0.42	300	TO-204
IXFM50N20	200	50	0.045	4400	190	200	0.42	298	TO-204
IXFH50N20	200	50	0.045	4400	190	200	0.42	298	TO-247

IXFT58N20	200	58	0.04	4400	190	200	0.42	300	TO-247
IXFH58N20Q	200	58	0.04	3600	98	200	0.42	298	TO-247
IXFH58N20	200	58	0.04	4400	190	200	0.42	298	TO-247
IXFR58N20Q	200	50	0.04	3600	98	200	0.5	250	ISOPLUS24
IXFT58N20Q	200	58	0.04	3600	98	200	0.42	298	TO-268
IXFH66N20Q	200	66	0.04	3700	105	200	0.31	400	TO-247 AD
IXFT68N20	200	68	0.035	5400	280	200	0.35	357	TO-268
IXFK72N20	200	72	0.035	5900	280	200	0.35	357	TO-264
IXFH68N20	200	68	0.035	5400	280	200	0.35	357	TO-247
IXFT60N20	200	60	0.033	5200	155	250	0.42	298	TO-268
IXFC60N20	200	60	0.033	5200	155	250	0.9	139	ISOPLUS22
IXFH60N20	200	60	0.033	5200	155	250	0.42	298	TO-247
IXFH88N20Q	200	88	0.03	4150	146	200	0.25	500	TO-247 AD
IXFK80N20	200	80	0.03	5900	280	200	0.35	357	TO-264
IXFT74N20	200	74	0.03	5400	280	200	0.35	360	TO-268
IXFH74N20	200	74	0.03	5400	280	200	0.35	360	TO-247
IXFK88N20Q	200	88	0.028	5250	149	200	0.26	481	TO-264
IXFR80N20Q	200	80	0.028	4600	180	200	0.4	313	ISOPLUS24
IXFH80N20Q	200	80	0.028	4600	180	200	0.35	357	TO-247
IXFK80N20Q	200	80	0.028	4600	180	200	0.35	357	TO-264
IXFX88N20Q	200	88	0.028	4150	146	200	0.25	500	PLUS247
IXFT80N20Q	200	80	0.028	4600	180	200	0.35	357	TO-268
IXFK90N20Q	200	90	0.022	6800	190	200	0.26	481	TO-264
IXFX90N20Q	200	90	0.022	6800	190	200	0.26	481	PLUS247
IXFN106N20	200	106	0.02	9000	380	200	0.24	521	SOT-227B
IXFK90N20	200	90	0.02	9000	380	200	0.25	500	TO-264
IXFN120N20	200	120	0.017	9100	360	250	0.22	568	SOT-227B
IXFK120N20	200	120	0.017	9100	300	250	0.22	568	TO-264
IXFR120N20	200	105	0.017	9100	360	250	0.3	417	ISOPLUS24
IXFX120N20	200	120	0.017	9100	300	250	0.22	568	PLUS247
IXFE180N20	200	158*	0.012	14400	360	250	0.25	500	ISOPLUS-
IXFN180N20	200	180	0.01	22000	660	250	0.18	694	SOT-227B
IXFK62N25	250	62	0.35	6600	240	250	0.3	417	TO-264
IXFX62N25	250	62	0.35	6600	240	250	0.3	417	PLUS247
IXFH60N25Q	250	60	0.047	5100	180	250	0.35	357	TO-247
IXFT60N25Q	250	60	0.047	5100	180	250	0.35	357	TO-268
IXFK60N25Q	250	60	0.047	5100	180	250	0.35	357	TO-264
IXFX100N25	250	100	0.027	9100	300	250	0.22	560	PLUS247
IXFN100N25	250	100	0.027	9100	300	250	0.22	600	SOT-227B
IXFK100N25	250	100	0.027	9100	300	250	0.22	560	TO-264
IXFR100N25	250	87	0.027	9100	300	250	0.3	400	ISOPLUS24
IXFX120N25	250	120	0.022	9400	400	250	0.22	568	PLUS247
IXFK120N25	250	120	0.022	9400	400	250	0.22	568	TO-264
IXFH35N30	300	35	0.1	4800	177	250	0.42	298	TO-247
IXFM35N30	300	35	0.1	4800	177	250	0.42	298	TO-204
IXFM40N30	300	40	0.088	4800	177	250	0.42	298	TO-204
IXFH40N30	300	40	0.085	4800	177	250	0.42	298	TO-247
IXFJ40N30	300	40	0.085	4800	177	200	0.42	298	I3-PAK*
IXFT40N30Q	300	40	0.08	3100	95	250	0.42	298	TO-268
IXFH40N30Q	300	40	0.08	3560	92	250	0.42	298	TO-247
IXFH52N30P	300	52	0.066	3490	110	250	0.31	400	TO-247
IXFT52N30P	300	52	0.066	3490	110	250	0.31	400	TO-268
IXFK52N30Q	300	52	0.06	5300	150	250	0.35	357	TO-264
IXFT52N30Q	300	52	0.06	5300	150	250	0.35	357	TO-268
IXFH52N30Q	300	52	0.06	5300	150	250	0.35	357	TO-247
IXFE73N30Q	300	66	0.046	6400	190	250	0.31	403	ISOPLUS22
IXFK73N30	300	73	0.045	9000	360	200	0.25	500	TO-264
IXFN73N30	300	73	0.045	9000	360	200	0.25	500	SOT-227B
IXFK73N30Q	300	73	0.042	3400	190	250	0.26	481	TO-264
IXFN73N30Q	300	73	0.042	6400	190	250	0.26	481	SOT-227B
IXFX73N30Q	300	73	0.042	6400	190	250	0.26	481	PLUS247

IXFR90N30	300	75	0.033	10000	360	250	0.3	417	ISOPLUS24
IXFX90N30	300	90	0.033	10000	360	250	0.22	568	PLUS247
IXFK90N30	300	90	0.033	10000	360	250	0.22	568	TO-264
IXFN90N30	300	90	0.033	10000	360	250	0.22	568	SOT-227B
IXFN130N30	300	130	0.018	15500	555	180	0.18	694	SOT-227B
IXFT30N40Q	400	30	0.16	3300	95	250	0.42	298	TO-268
IXFH30N40Q	400	30	0.16	3300	95	250	0.42	298	TO-247
IXFN80N48	480	80	0.045	9890	380	250	0.18	694	SOT-227B
IXFH13N50	500	13	0.4	2800	110	250	0.7	179	TO-247
IXFJ13N50	500	13	0.4	2800	110	250	0.7	179	I3-PAK*
IXFM13N50	500	13	0.4	2800	110	250	0.7	179	TO-204
IXFT21N50	500	21	0.25	4200	135	250	0.42	298	TO-268
IXFT21N50Q	500	21	0.25	3350	90	250	0.45	278	TO-268
IXFM21N50	500	21	0.25	4200	135	250	0.42	298	TO-204
IXFH21N50Q	500	21	0.25	3350	90	250	0.45	278	TO-247
IXFH21N50	500	21	0.25	4200	135	250	0.42	298	TO-247
IXFH24N50Q	500	24	0.23	3900	95	250	0.42	298	TO-247
IXFT24N50Q	500	24	0.23	3900	95	250	0.42	298	TO-268
IXFR24N50Q	500	22	0.23	3900	95	250	0.5	250	ISOPLUS24
IXFH24N50	500	24	0.23	4200	135	250	0.42	298	TO-247
IXFC24N50	500	21	0.23	4200	135	250	0.54	231	ISOPLUS22
IXFR24N50	500	22	0.23	4200	135	250	0.5	250	ISOPLUS24
IXFC26N50	500	23	0.2	4200	135	250	0.54	231	ISOPLUS22
IXFH28N50Q	500	28	0.2	3300	94	250	0.31	400	TO-247 AD
IXFH26N50	500	26	0.2	4200	135	250	0.42	298	TO-247
IXFT26N50Q	500	26	0.2	3900	95	250	0.42	298	TO-268
IXFT24N50	500	26	0.2	4200	135	250	0.42	298	TO-268
IXFR26N50Q	500	24	0.2	3900	95	250	0.42	298	ISOPLUS24
IXFR26N50	500	24	0.2	4200	135	250	0.5	250	ISOPLUS24
IXFH26N50Q	500	26	0.2	3900	95	250	0.5	250	TO-247
IXFR40N50Q	500	29	0.17	4200	110	250	0.39	320	ISOPLUS-
IXFK32N50Q	500	32	0.16	3950	150	250	0.3	417	TO-264
IXFX32N50Q	500	32	0.16	3950	150	250	0.3	417	PLUS247
IXFK33N50	500	33	0.16	5200	227	250	0.3	417	TO-264
IXFH32N50Q	500	32	0.16	3950	153	250	0.35	357	TO-247
IXFR32N50Q	500	30	0.16	3950	150	250	0.4	313	ISOPLUS24
IXFT32N50Q	500	32	0.16	3950	153	250	0.35	357	TO-268
IXFH40N50Q	500	40	0.16	4200	110	250	0.25	500	TO-247
IXFH30N50	500	30	0.16	5200	227	250	0.35	357	TO-247
IXFT30N50	500	30	0.16	5200	227	250	0.35	357	TO-268
IXFJ32N50Q	500	32	0.16	3950	153	250	0.35	357	I3-PAK*
IXFT32N50	500	32	0.15	5200	227	250	0.35	357	TO-268
IXFK35N50	500	35	0.15	5200	227	250	0.3	416	TO-264
IXFH32N50	500	32	0.15	5200	227	250	0.35	357	TO-247
IXFH40N50Q	500	40	0.14	4500	130	250	0.25	500	TO-247 AD
IXFK44N50Q	500	44	0.12	8000	190	250	0.26	481	TO-264
IXFX44N50Q	500	44	0.12	8000	190	250	0.26	481	PLUS247
IXFE44N50Q	500	39	0.12	6400	190	250	0.31	403	ISOPLUS22
IXFN44N50Q	500	44	0.12	6400	190	250	0.26	481	SOT-227B
IXFE44N50Q	500	39	0.12	8000	190	250	0.31	403	ISOPLUS22
IXFE44N50Q	500	39	0.12	8000	190	35	0.31	403	ISOPLUS22
IXFN44N50	500	44	0.12	8400	270	250	0.24	521	SOT-227B
IXFK44N50	500	44	0.12	8400	270	250	0.24	521	TO-264
IXFR44N50Q	500	34	0.12	6400	190	250	0.4	313	ISOPLUS24
IXFE48N50Q	500	41	0.11	8000	190	35	0.31	403	ISOPLUS22
IXFE48N50Q	500	41	0.11	6400	190	250	0.31	403	ISOPLUS22
IXFE48N50Q	500	41	0.11	6400	190	250	0.31	403	ISOPLUS22
IXFX48N50Q	500	48	0.1	8000	190	250	0.26	481	PLUS247
IXFE50N50	500	47	0.1	9400	330	180	0.25	500	ISOPLUS22
IXFN50N50	500	50	0.1	9400	330	250	0.21	595	SOT-227B
IXFK48N50	500	48	0.1	8400	270	250	0.24	521	TO-264

IXFX50N50	500	50	0.1	9400	330	250	0.22	568	PLUS247
IXFN48N50Q	500	48	0.1	6400	190	250	0.26	481	SOT-227B
IXFK50N50	500	50	0.1	9400	330	250	0.22	568	TO-264
IXFK48N50Q	500	48	0.1	8000	190	250	0.26	481	TO-264
IXFN48N50	500	48	0.1	8400	270	250	0.24	521	SOT-227B
IXFR48N50Q	500	40	0.1	6400	190	250	0.4	313	ISOPLUS24
IXFR50N50	500	43	0.1	9400	330	250	0.3	417	ISOPLUS24
IXFE55N50	500	52	0.09	9400	330	180	0.25	500	ISOPLUS22
IXFK55N50	500	55	0.08	9400	330	250	0.22	568	TO-264
IXFR55N50	500	48	0.08	9400	330	250	0.3	417	ISOPLUS24
IXFX55N50	500	55	0.08	9400	330	250	0.22	568	PLUS247
IXFN55N50	500	55	0.08	9400	330	250	0.21	595	SOT-227B
IXFX66N50Q	500	66	0.074	6800	199	250	0.17	735	PLUS247
IXFN66N50Q	500	66	0.074	6800	199	250	0.17	735	SOT-227B
IXFR66N50Q	500	50	0.074	6800	199	250	0.3	416	ISOPLUS-
IXFK66N50Q	500	66	0.074	6800	199	250	0.17	735	TO-264
IXFN80N50Q	500	80	0.06	11400	290	250	0.14	890	SOT-227B
IXFB80N50Q	500	80	0.06	11400	290	250	0.14	893	PLUS264
IXFN80N50	500	80	0.055	9890	380	250	0.18	694	SOT-227B
IXFE80N50	500	72	0.055	9890	380	250	0.22	568	ISOPLUS22
IXFH22N55	550	22	0.27	4200	150	250	0.42	298	TO-247
IXFH26N55Q	550	26	0.23	3300	92	250	0.31	400	TO-247 AD
IXFH36N55Q	550	36	0.18	4100	110	250	0.25	500	TO-247
IXFH36N55Q	550	36	0.16	4500	128	250	0.25	500	TO-247 AD
IXFK44N55Q	550	44	0.12	6400	190	250	0.26	481	TO-264
IXFK48N55	550	48	0.11	8900	330	250	0.22	568	TO-264
IXFK60N55Q	550	60	0.088	6900	200	250	0.17	735	TO-264
IXFX60N55Q	550	60	0.088	6900	200	250	0.17	735	PLUS264
IXFN72N55Q	550	72	0.072	7200	270	250	0.14	890	SOT-227B
IXFB72N55Q	550	72	0.072	7200	270	250	0.14	890	PLUS264
IXFH15N60	600	15	0.5	4500	151	250	0.42	298	TO-247
IXFM15N60	600	15	0.5	4500	151	250	0.42	298	TO-204
IXFM20N60	600	20	0.35	4500	151	250	0.42	298	TO-204
IXFH20N60	600	20	0.35	4500	151	250	0.42	298	TO-247
IXFT20N60Q	600	20	0.35	3700	95	250	0.42	298	TO-268
IXFH20N60Q	600	20	0.35	3700	95	250	0.42	298	TO-247
IXFH23N60Q	600	23	0.32	3300	90	250	0.31	400	TO-247 AD
IXFH26N60Q	600	28	0.25	5100	150	250	0.35	357	TO-247
IXFR26N60Q	600	23	0.25	5100	150	250	0.4	313	ISOPLUS24
IXFN32N60	600	32	0.25	9000	325	250	0.24	521	SOT-227B
IXFT26N60Q	600	28	0.25	5100	150	250	0.35	357	TO-268
IXFK32N60	600	32	0.25	9000	325	250	0.25	500	TO-264
IXFK26N60Q	600	28	0.25	5100	150	250	0.35	357	TO-264
IXFX26N60Q	600	28	0.25	5100	150	250	0.35	357	PLUS247
IXFH30N60Q	600	30	0.23	4700	124	250	0.25	500	TO-247 AD
IXFN36N60	600	36	0.18	9000	325	250	0.24	521	SOT-227B
IXFK36N60	600	36	0.18	9000	325	250	0.25	500	TO-264
IXFE44N60	600	41	0.13	8900	330	250	0.25	500	ISOPLUS22
IXFR44N60	600	38	0.13	8900	330	250	0.3	417	ISOPLUS24
IXFK44N60	600	44	0.13	8900	330	250	0.22	568	TO-264
IXFX44N60	600	44	0.13	8900	330	250	0.22	568	PLUS247
IXFN44N60	600	44	0.13	8900	330	250	0.22	568	SOT-227B
IXFX52N60Q	600	52	0.115	6800	198	250	0.17	735	PLUS247
IXFK52N60Q	600	52	0.115	6800	198	250	0.17	735	TO-264
IXFN60N60	600	60	0.08	15000	380	250	0.18	694	SOT-227B
IXFB70N60Q	600	70	0.08	7200	265	250	0.14	890	PLUS264
IXFN70N60Q	600	70	0.08	7200	265	250	0.14	890	SOT-227B
IXFP3N80	800	3.6	3.6	685	24	250	1.25	100	TO-220
IXFA3N80	800	3.6	3.6	685	24	250	1.25	100	TO-263
IXFH7N80	800	7	1.4	2800	110	250	0.7	179	TO-247
IXFM7N80	800	7	1.4	2800	110	250	0.7	179	TO-204

IXFH9N80Q	800	9	1.1	2200	56	250	0.7	179	TO-247
IXFH8N80	800	8	1.1	2600	85	250	0.7	179	TO-247
IXFH11N80	800	11	0.95	4200	128	250	0.42	298	TO-247
IXFM11N80	800	11	0.95	4200	128	250	0.42	298	TO-204
IXFH9N80	800	9	0.9	2600	85	250	0.7	179	TO-247
IXFM13N80	800	13	0.8	4200	128	250	0.42	298	TO-204
IXFH13N80	800	13	0.8	4200	128	250	0.42	298	TO-247
IXFH14N80	800	14	0.7	3965	150	250	0.42	298	TO-247
IXFT13N80Q	800	13	0.7	3250	90	250	0.42	298	TO-268
IXFH13N80Q	800	13	0.7	3250	90	250	0.42	298	TO-247
IXFC15N80Q	800	15	0.6	4300	90	250	0.54	231	ISOPLUS22
IXFH15N80Q	800	15	0.6	4300	90	250	0.42	298	TO-247
IXFR15N80Q	800	13	0.6	4300	90	250	0.5	250	ISOPLUS24
IXFT15N80Q	800	15	0.6	4300	90	250	0.42	298	TO-268
IXFH15N80	800	15	0.6	3965	150	250	0.42	298	TO-247
IXFH17N80Q	800	17	0.6	4300	88	250	0.31	400	TO-247 AD
IXFT20N80Q	800	20	0.42	5100	150	250	0.35	357	TO-268
IXFK20N80Q	800	20	0.42	5100	150	250	0.35	357	TO-264
IXFH20N80Q	800	20	0.42	5100	150	250	0.35	357	TO-247
IXFH23N80Q	800	23	0.4	5100	120	250	0.25	500	TO-247 AD
IXFK27N80	800	27	0.32	8400	350	250	0.25	500	TO-264
IXFK27N80Q	800	27	0.32	7600	170	250	0.26	481	TO-264
IXFN27N80Q	800	27	0.32	7600	170	250	0.24	521	SOT-227B
IXFN27N80	800	27	0.32	8400	350	250	0.24	520	SOT-227B
IXFX27N80Q	800	27	0.32	7600	170	250	0.26	481	PLUS247
IXFK34N80	800	34	0.24	7500	270	250	0.22	568	TO-264
IXFN34N80	800	34	0.24	7500	270	250	0.22	568	SOT-227B
IXFX34N80	800	34	0.24	7500	270	250	0.22	568	PLUS247
IXFR34N80	800	28	0.24	7500	270	250	0.3	417	ISOPLUS24
IXFN44N80	800	44	0.165	10000	380	250	0.18	694	SOT-227B
IXFB50N80Q	800	50	0.15	7200	260	300	0.14	890	PLUS264
IXFN50N80Q	800	50	0.15	7200	265	250	0.14	890	SOT-227B
IXFH6N90	900	6	1.8	2600	88	250	0.7	179	TO-247
IXFM6N90	900	6	1.8	2600	88	250	0.7	179	TO-204
IXFT7N90Q	900	7	1.5	2200	56	250	0.7	180	TO-268
IXFH7N90Q	900	7	1.5	2200	56	250	0.7	180	TO-247
IXFM10N90	900	10	1.1	4200	123	250	0.42	298	TO-204
IXFH10N90	900	10	1.1	4200	123	250	0.42	298	TO-247
IXFH12N90	900	12	0.9	4200	123	250	0.42	298	TO-247
IXFM12N90	900	12	0.9	4200	123	250	0.42	298	TO-204
IXFH12N90Q	900	12	0.9	2900	90	200	0.42	298	TO-247
IXFM12N90Q	900	12	0.9	2900	90	250	0.42	298	TO-204
IXFH13N90	900	13	0.8	4200	123	250	0.42	298	TO-247
IXFT16N90Q	900	16	0.65	4000	133	250	0.35	357	TO-268
IXFK16N90Q	900	16	0.65	4000	133	250	0.35	357	TO-264
IXFH16N90Q	900	16	0.65	4000	133	250	0.35	357	TO-247
IXFX24N90Q	900	24	0.45	5900	170	250	0.26	481	PLUS247
IXFK24N90Q	900	24	0.45	5900	170	250	0.26	481	TO-264
IXFK25N90	900	25	0.33	8.7 nF	240	250	0.22	568	TO-264
IXFX25N90	900	25	0.33	8.7 nF	240	250	0.22	568	PLUS247
IXFN25N90	900	25	0.33	8.7 nF	240	250	0.21	595	SOT-227B
IXFN26N90	900	26	0.3	8.7 nF	240	250	0.21	595	SOT-227B
IXFX26N90	900	26	0.3	8.7 nF	240	250	0.22	568	PLUS247
IXFK26N90	900	26	0.3	8.7 nF	240	250	0.22	568	TO-264
IXFE39N90	900	34	0.22	134000	375	250	0.22	568	ISOPLUS22
IXFN39N90	900	39	0.22	9200	390	250	0.18	694	SOT-227B
IXFP4N100Q	1000	4	3	1050	39	250	0.8	156	TO-220
IXFT4N100Q	1000	4	3	1050	39	250	0.8	156	TO-268
IXFA4N100Q	1000	4	3	1050	39	250	0.8	156	TO-263
IXFH4N100Q	1000	4	3	1050	39	250	0.8	156	TO-247
IXFR4N100Q	1000	3.5	3	1050	39	200	1.57	80	ISOPLUS24

IXFM6N100	1000	6	2	2600	88	250	0.7	179	TO-204
IXFH6N100	1000	6	2	2600	88	250	0.7	179	TO-247
IXFT6N100Q	1000	6	2	2200	48	250	1.9	66	TO-268
IXFH6N100Q	1000	6	2	2200	48	250	1.9	66	TO-247
IXFM10N100	1000	10	1.2	4000	122	250	0.42	298	TO-204
IXFT10N100	1000	10	1.2	4000	122	250	0.42	298	TO-268
IXFH10N100	1000	10	1.2	4000	122	250	0.42	298	TO-247
IXFR12N100	1000	12	1.05	2900	90	200	0.5	250	ISOPLUS24
IXFT12N100	1000	12	1.05	2900	90	200	0.42	300	TO-268
IXFT12N100	1000	12	1.05	4000	122	250	0.42	298	TO-268
IXFM12N100	1000	12	1.05	4000	122	250	0.42	298	TO-204
IXFH12N100	1000	12	1.05	2900	90	200	0.42	300	TO-247
IXFH12N100	1000	12	1.05	4000	122	250	0.42	298	TO-247
IXFH14N100	1000	14	0.75	4500	220	200	0.35	357	TO-268
IXFT14N100	1000	14	0.75	4500	220	200	0.35	357	PLUS247
IXFX14N100	1000	14	0.75	4500	220	200	0.35	357	TO-247
IXFH14N100	1000	14	0.75	4500	220	200	0.35	357	TO-247
IXFK15N100	1000	15	0.7	4500	130	250	0.35	357	TO-264
IXFT15N100	1000	15	0.7	4500	220	200	0.35	357	TO-268
IXFH15N100	1000	15	0.7	4500	130	250	0.35	357	TO-247
IXFH15N100	1000	15	0.7	4500	220	200	0.35	357	TO-247
IXFX15N100	1000	15	0.7	4500	220	200	0.35	357	PLUS247
IXFT15N100	1000	15	0.7	4500	130	250	0.35	357	TO-268
IXFK21N100	1000	21	0.5	5900	170	250	0.26	481	TO-264
IXFX21N100	1000	21	0.5	5900	170	250	0.26	481	PLUS247
IXFR21N100	1000	18	0.5	5900	170	250	0.3	417	ISOPLUS24
IXFN21N100	1000	21	0.5	5900	170	250	0.24	521	SOT-227B
IXFN23N100	1000	23	0.43	7000	250	250	0.21	595	SOT-227B
IXFE23N100	1000	21	0.43	7000	250	250	0.25	500	ISOPLUS22
IXFX30N100	1000	30	0.4	8200	186	250	0.17	735	PLUS-247
IXFK30N100	1000	30	0.4	8200	186	250	0.17	735	TO-264
IXFN24N100	1000	24	0.39	7000	250	250	0.21	595	SOT-227B
IXFK24N100	1000	24	0.39	7000	250	250	0.22	568	TO-264
IXFE24N100	1000	22	0.39	7000	250	250	0.25	500	ISOPLUS22
IXFR24N100	1000	22	0.39	7000	250	250	0.3	417	ISOPLUS24
IXFX24N100	1000	24	0.39	7000	250	250	0.22	568	PLUS247
IXFF24N100	1000	22	0.39	N/A	250	250	0.32	391	ISOPLUS
IXFN34N100	1000	34	0.28	9200	380	180	0.18	694	SOT-227B
IXFL34N100	1000	34	0.28	9200	380	180	0.225	556	ISOPLUS26
IXFE34N100	1000	30	0.28	15000	455	180	0.22	568	ISOPLUS22
IXFN38N100	1000	38	0.25	12600	230	300	0.14	893	SOT-227B
IXFB38N100	1000	38	0.25	12600	230	300	0.14	893	PLUS264
IXFE36N100	1000	33	0.24	15000	455	180	0.22	568	ISOPLUS22
IXFN36N100	1000	36	0.24	9200	380	180	0.18	694	SOT-227B
IXFP3N120	1200	3	4.5	1050	39	250	0.62	200	TO-220
IXFA3N120	1200	3	4.5	1050	39	250	0.62	200	TO-263
IXFX20N120	1200	20	0.75	7400	160	300	0.16	780	PLUS247
IXFK20N120	1200	20	0.75	7400	160	300	0.16	780	TO-264
IXFN20N120	1200	20	0.75	7400	160	300	0.16	780	SOT-227B
IXFN32N120	1200	32	0.35	15900	400	180	0.16	780	SOT-227B
IXFX24N120	1200	24	0.65	8200	180	300	0.15	830	PLUS247
IXFK24N120	1200	24	0.65	8200	180	300	0.15	830	TO-264
IXFX38N80Q	800	38	0.22	8340	190	250	0.17	735	PLUS247
IXFK38N80Q	800	38	0.22	8340	190	250	0.17	735	TO-264