

Household and similar electrical appliances — Safety —

Part 2-80: Particular requirements for fans

The European Standard EN 60335-2-80:2003 has the status of a
British Standard

ICS 23.120

NO COPYING WITHOUT BSI PERMISSION EXCEPT AS PERMITTED BY COPYRIGHT LAW

BSI
British Standards

National foreword

This British Standard is the official English language version of EN 60335-2-80:2003. It is identical with IEC 60335-2-80:2002. It supersedes BS EN 60335-2-80:1997 which will be withdrawn on 2006-03-01.

The UK participation in its preparation was entrusted by Technical Committee CPL/61, Safety of electrical appliances, to Subcommittee CPL/61/01, Safety of electrical appliances - Motorised appliance group, which has the responsibility to:

- aid enquirers to understand the text;
- present to the responsible international/European committee any enquiries on the interpretation, or proposals for change, and keep the UK interests informed;
- monitor related international and European developments and promulgate them in the UK.

A list of organizations represented on this subcommittee can be obtained on request to its secretary.

Cross-references

The British Standards which implement international or European publications referred to in this document may be found in the *BSI Catalogue* under the section entitled "International Standards Correspondence Index", or by using the "Search" facility of the *BSI Electronic Catalogue* or of British Standards Online.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for their correct application.

Compliance with a British Standard does not of itself confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 28 July 2003

Summary of pages

This document comprises a front cover, an inside front cover, the EN title page, pages 2 to 13 and a back cover.

The BSI copyright date displayed in this document indicates when the document was last issued.

Amendments issued since publication

Amd. No.	Date	Comments

© BSI 28 July 2003

ISBN 0 580 42310 7

EUROPEAN STANDARD

EN 60335-2-80

NORME EUROPÉENNE

EUROPÄISCHE NORM

March 2003

ICS 23.120

Supersedes EN 60335-2-80:1997

English version

**Household and similar electrical appliances -
Safety
Part 2-80: Particular requirements for fans
(IEC 60335-2-80:2002)**

Appareils électrodomestiques
et analogues -
Sécurité
Partie 2-80: Règles particulières
pour les ventilateurs
(CEI 60335-2-80:2002)

Sicherheit elektrischer Geräte für den
Hausgebrauch und ähnliche Zwecke
Teil 2-80: Besondere Anforderungen
für Ventilatoren
(IEC 60335-2-80:2002)

This European Standard was approved by CENELEC on 2003-03-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Luxembourg, Malta, Netherlands, Norway, Portugal, Slovakia, Spain, Sweden, Switzerland and United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Central Secretariat: rue de Stassart 35, B - 1050 Brussels

© 2003 CENELEC - All rights of exploitation in any form and by any means reserved worldwide for CENELEC members.

Ref. No. EN 60335-2-80:2003 E

Foreword

The text of the International Standard IEC 60335-2-80:2002 (61/2165/FDIS), prepared by the IEC Technical Committee 61, was submitted to the Unique Acceptance Procedure and was approved by CENELEC as EN 60335-2-80 on 2003-03-01.

This European Standard replaces EN 60335-2-80:1997.

The following dates are applicable:

- latest date by which the EN has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2004-03-01
- date on which national standards conflicting with the EN have to be withdrawn (dow) 2006-03-01

This part 2 has to be used in conjunction with EN 60335-1, Household and similar electrical appliances – Safety – Part 1: General requirements. It was established on the basis of the 2002 edition of that standard. Amendments and revisions of Part 1 have also to be taken into account and the dates when such changes become applicable will be stated in the relevant amendment or revision of Part 1.

This part 2 supplements or modifies the corresponding clauses of EN 60335-1, so as to convert it into the European Standard: Safety requirements for electric fans.

When a particular subclause of Part 1 is not mentioned in this part 2, that subclause applies as far as is reasonable. When this standard states "addition", "modification" or "replacement", the relevant text of Part 1 is to be adapted accordingly.

NOTE 1 The following numbering system is used:

- subclauses, tables and figures that are numbered starting from 101 are additional to those in Part 1;
- unless notes are in a new subclause or involve notes in Part 1, they are numbered starting from 101, including those in a replaced clause or subclause;
- additional annexes are lettered AA, BB, etc.;
- subclauses, notes and annexes that are additional to those in the IEC standard are prefixed with the letter Z.

NOTE 2 The following print types are used:

- requirements: in roman type;
- test specifications: *in italic type*;
- notes: in small roman type.

Words in **bold** in the text are defined in Clause 3. When a definition concerns an adjective, the adjective and the associated noun are also in bold.

There are no special national conditions causing a deviation from this European Standard, other than those listed in Annex ZA to EN 60335-1.

There are no national deviations from this European Standard, other than those listed in Annex ZB to EN 60335-1.

p NOTE In this document, p is used in the margin to indicate instructions for preparing the printed version.

Introduction

p Add:

An investigation by CENELEC TC 61 has shown that all risks from products within the scope of this standard are fully covered by the Low Voltage Directive, 73/23/EEC. For products having mechanical moving parts, a risk assessment in accordance with the Machinery Directive, 98/37/EC, has shown that the risks are mainly of electrical origin and consequently this directive is not applicable. However, the relevant essential safety requirements of the Machinery Directive are covered by this standard together with the principal objectives of the Low Voltage Directive.

Endorsement notice

The text of the International Standard IEC 60335-2-80:2002 was approved by CENELEC as a European Standard without any modification.

CONTENTS

INTRODUCTION.....	5
1 Scope.....	6
2 Normative references	6
3 Definitions	6
4 General requirement.....	7
5 General conditions for the tests	7
6 Classification	7
7 Marking and instructions.....	7
8 Protection against access to live parts.....	8
9 Starting of motor-operated appliances	8
10 Power input and current	8
11 Heating	8
12 Void	9
13 Leakage current and electric strength at operating temperature.....	9
14 Transient overvoltages	9
15 Moisture resistance	9
16 Leakage current and electric strength.....	9
17 Overload protection of transformers and associated circuits	9
18 Endurance.....	9
19 Abnormal operation	9
20 Stability and mechanical hazards	10
21 Mechanical strength	10
22 Construction	11
23 Internal wiring.....	11
24 Components	11
25 Supply connection and external flexible cords	12
26 Terminals for external conductors.....	12
27 Provision for earthing	12
28 Screws and connections.....	12
29 Clearances, creepage distances and solid insulation	12
30 Resistance to heat and fire.....	12
31 Resistance to rusting.....	12
32 Radiation, toxicity and similar hazards.....	12
Annexes	13
Bibliography.....	13

INTRODUCTION

It has been assumed in the drafting of this International Standard that the execution of its provisions is entrusted to appropriately qualified and experienced persons.

This standard recognizes the internationally accepted level of protection against hazards such as electrical, mechanical, thermal, fire and radiation of appliances when operated as in normal use taking into account the manufacturer's instructions. It also covers abnormal situations that can be expected in practice.

This standard takes into account the requirements of IEC 60364 as far as possible so that there is compatibility with the wiring rules when the appliance is connected to the supply mains. However, national wiring rules may differ.

If an appliance within the scope of this standard also incorporates functions that are covered by another part 2 of IEC 60335, the relevant part 2 is applied to each function separately, as far as is reasonable. If applicable, the influence of one function on the other is taken into account.

This standard is a product family standard dealing with the safety of appliances and takes precedence over horizontal and generic standards covering the same subject.

An appliance that complies with the text of this standard will not necessarily be considered to comply with the safety principles of the standard if, when examined and tested, it is found to have other features that impair the level of safety covered by these requirements.

An appliance employing materials or having forms of construction differing from those detailed in the requirements of this standard may be examined and tested according to the intent of the requirements and, if found to be substantially equivalent, may be considered to comply with the standard.

HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

Part 2-80: Particular requirements for fans

1 Scope

This clause of Part 1 is replaced by the following.

This International Standard deals with the safety of electric fans for household and similar purposes, their **rated voltage** being not more than 250 V for single-phase appliances and 480 V for other appliances.

NOTE 101 Examples of fans that are within the scope of this standard are

- ceiling fans;
- duct fans;
- partition fans;
- pedestal fans;
- table fans.

This standard also applies to separate controls supplied with fans.

Appliances not intended for normal household use but which nevertheless may be a source of danger to the public, such as appliances intended for use in shops, in light industry and on farms, are within the scope of this standard.

As far as is practicable, this standard deals with the common hazards presented by appliances that are encountered by all persons in and around the home. However, in general, it does not take into account

- the use of appliances by young children or infirm persons without supervision;
- playing with the appliance by young children.

NOTE 102 Attention is drawn to the fact that

- for appliances intended to be used in vehicles or on board ships or aircraft, additional requirements may be necessary;
- in many countries additional requirements are specified by the national health authorities, the national authorities responsible for the protection of labour and similar authorities.

NOTE 103 This standard does not apply to

- appliances intended exclusively for industrial purposes;
- appliances intended to be used in locations where special conditions prevail, such as the presence of a corrosive or explosive atmosphere (dust, vapour or gas);
- fans incorporated in other appliances.

2 Normative references

This clause of Part 1 is applicable.

3 Definitions

This clause of Part 1 is applicable except as follows.

3.1.9 *Replacement:*

normal operation

operation of the appliance under the following conditions

Table and pedestal fans are operated with any oscillating mechanism in operation.

Ceiling fans are fixed to a ceiling.

Partition fans are installed in the centre of a suitable partition having dimensions at least four times the diameter of the air inlet.

Duct fans are installed in a duct in accordance with the installation instructions, the length of the duct being approximately four times the diameter of the fan.

4 General requirement

This clause of Part 1 is applicable.

5 General conditions for the tests

This clause of Part 1 is applicable except as follows.

5.7 *Addition:*

For fans intended to be used in tropical climates, the tests of Clauses 10, 11 and 13 are carried out at an ambient temperature of $40\text{ °C} \pm 2\text{ °C}$.

6 Classification

This clause of Part 1 is applicable except as follows.

6.2 *Addition:*

Duct fans shall be at least IPX2.

6.101 Fans shall be of one of the following classes with respect to climatic conditions:

- fans for temperate climates;
- fans for tropical climates.

Compliance is checked by inspection

7 Marking and instructions

This clause of Part 1 is applicable except as follows.

7.1 *Addition:*

Fans for tropical climates shall be marked with the letter T.

7.12.1 Addition:

The installation instructions shall include the substance of the following:

- the model or type reference of a luminaire that may be installed in a fan constructed for this purpose;
- whether the fan is intended for mounting in outside windows or walls (for partition fans);
- that the fan is to be installed so that the blades are more than 2,3 m above the floor (for fans intended to be mounted at high level);
- that precautions must be taken to avoid the back-flow of gases into the room from the open flue of gas or other fuel-burning appliances (for duct and partition fans).

8 Protection against access to live parts

This clause of Part 1 is applicable except as follows.

8.1.1 Modification:

*Lamps are not removed. However, during insertion or removal of lamps, protection against contact with **live parts** of the lamp cap shall be ensured.*

9 Starting of motor-operated appliances

This clause of Part 1 is not applicable.

10 Power input and current

This clause of Part 1 is applicable except as follows.

10.1 Addition:

Appliances are tested with shutters or similar devices in the open position.

10.2 Addition:

Appliances are tested with shutters or similar devices in the open position.

11 Heating

This clause of Part 1 is applicable except as follows.

11.7 Replacement:

Appliances are operated until steady conditions are established.

11.8 Addition:

The temperature rise limits for appliances for tropical climates are reduced by 15 K.

12 Void

13 Leakage current and electric strength at operating temperature

This clause of Part 1 is applicable.

14 Transient overvoltages

This clause of Part 1 is applicable.

15 Moisture resistance

This clause of Part 1 is applicable except as follows.

15.1.1 Addition:

*The outer part of appliances intended to be mounted in outside windows and walls is subjected to the test of subclause 14.2.4(a) of IEC 60529, the part of the appliance that is not mounted on the outside of the window or wall being protected against spray from the oscillating tube. The test is carried out with the appliance in the rest position and then in operation while supplied at **rated voltage** with shutters or similar devices in the open position.*

*Duct fans are subjected to the test of subclause 14.2.2 of IEC 60529 while in the rest position and then in operation while supplied at **rated voltage**.*

16 Leakage current and electric strength

This clause of Part 1 is applicable.

17 Overload protection of transformers and associated circuits

This clause of Part 1 is applicable.

18 Endurance

This clause of Part 1 is not applicable.

19 Abnormal operation

This clause of Part 1 is applicable except as follows.

19.1 Addition:

Fans incorporating shutters or similar devices operated by a control are also subjected to the test of 19.101.

19.7 Addition:

Separate controls are mounted on a dull black-painted plywood board. Approximately 50 % of the area of each ventilating opening is blocked. The temperature of windings shall not exceed the values specified in Table 8 and the temperature rise of the board shall not exceed

- 50 K, for appliances with T marking;
- 65 K, for other appliances.

19.9 Not applicable.

19.101 *Fans incorporating shutters or similar devices that are operated automatically are supplied at **rated voltage** and operated with the shutters or similar devices held in the closed or open position, whichever is more unfavourable.*

20 Stability and mechanical hazards

This clause of Part 1 is applicable except as follows.

20.1 Addition:

Portable pedestal fans having a height exceeding 1,7 m and a mass exceeding 10 kg are placed on a horizontal surface. A force of 40 N is applied to the appliance at a height of 1,5 m in the most unfavourable horizontal direction.

The appliance shall not overturn.

NOTE 101 Suitable means may be used to prevent the appliance from sliding.

20.101 Fan blades, other than those of fans for mounting at high level, shall be guarded unless their leading edges and tips are rounded and

- they have a hardness less than D 60 Shore, or
- they have a peripheral speed less than 15 m/s when the fan is supplied at **rated voltage**, or
- the fan has a power output not exceeding 2 W when supplied at **rated voltage**.

NOTE An edge with a radius of not less than 0,5 mm is considered to be rounded.

Compliance is checked by inspection and by measurement.

21 Mechanical strength

This clause of Part 1 is applicable except as follows.

Appliances are also subjected to the test of 21.101.

21.101 *Fan guards are subjected to a push force and a pull force of 20 N applied along the axis of the fan motor. After the test, it shall not be possible to touch dangerous moving parts with a test probe that is similar to test probe B of IEC 61032, but having a circular stop face with a diameter of 50 mm instead of the non-circular face.*

21.102 Ceiling fans shall have adequate strength.

Compliance is checked by the following test.

Ceiling fans are mounted in accordance with the installation instructions. A load equal to four times the mass of the fan is suspended from the body of the fan for 1 min.

A torque of 1 Nm is then applied to the fixed body of the fan for 1 min. The test is repeated with the torque applied in the reverse direction.

The suspension system shall not break and the fan shall not be damaged to such an extent that compliance with 8.1, 16.3 and Clause 29 is impaired.

22 Construction

This clause of Part 1 is applicable except as follows.

22.1 Addition:

NOTE 101 The enclosure defined in IEC 60529 does not include guards for fan blades.

22.11 Modification:

The 50 N force is not applied to clips used to fasten fan guards. Instead, a force of 15 N is applied in any direction to the clips in an attempt to release them.

22.101 Appliances having provision for attaching a luminaire shall incorporate appropriate terminals and internal wiring.

Compliance is checked by inspection.

23 Internal wiring

This clause of Part 1 is applicable except as follows.

23.3 Modification:

Instead of moving the movable part backwards and forwards, fans with an oscillating mechanism are tested as follows.

*Fans are supplied at **rated voltage** and operated under **normal operation**, the angle of oscillation being the maximum allowed by the construction. The test is carried out for 100 000 cycles of oscillation.*

24 Components

This clause of Part 1 is applicable except as follows.

24.2 Addition:

Appliances having a **rated power input** not exceeding 25 W may be fitted with a switch in the **supply cord**.

24.101 Thermal cut-outs incorporated in duct fans in order to comply with Clause 19 shall not be self-resetting.

Compliance is checked by inspection.

25 Supply connection and external flexible cords

This clause of Part 1 is applicable except as follows.

25.5 Addition:

Type Z attachment is allowed for **portable fans**.

26 Terminals for external conductors

This clause of Part 1 is applicable.

27 Provision for earthing

This clause of Part 1 is applicable.

28 Screws and connections

This clause of Part 1 is applicable.

29 Clearances, creepage distances and solid insulation

This clause of Part 1 is applicable except as follows.

29.2 Addition:

The microenvironment is pollution degree 3 unless the insulation is enclosed or located so that it is unlikely to be exposed to pollution during normal use of the appliance.

30 Resistance to heat and fire

This clause of Part 1 is applicable except as follows.

30.2.2 Not applicable.

31 Resistance to rusting

This clause of Part 1 is applicable.

32 Radiation, toxicity and similar hazards

This clause of Part 1 is applicable.

Annexes

The annexes of Part 1 are applicable.

Bibliography

The bibliography of Part 1 is applicable.

BSI — British Standards Institution

BSI is the independent national body responsible for preparing British Standards. It presents the UK view on standards in Europe and at the international level. It is incorporated by Royal Charter.

Revisions

British Standards are updated by amendment or revision. Users of British Standards should make sure that they possess the latest amendments or editions.

It is the constant aim of BSI to improve the quality of our products and services. We would be grateful if anyone finding an inaccuracy or ambiguity while using this British Standard would inform the Secretary of the technical committee responsible, the identity of which can be found on the inside front cover. Tel: +44 (0)20 8996 9000. Fax: +44 (0)20 8996 7400.

BSI offers members an individual updating service called PLUS which ensures that subscribers automatically receive the latest editions of standards.

Buying standards

Orders for all BSI, international and foreign standards publications should be addressed to Customer Services. Tel: +44 (0)20 8996 9001. Fax: +44 (0)20 8996 7001. Email: orders@bsi-global.com. Standards are also available from the BSI website at <http://www.bsi-global.com>.

In response to orders for international standards, it is BSI policy to supply the BSI implementation of those that have been published as British Standards, unless otherwise requested.

Information on standards

BSI provides a wide range of information on national, European and international standards through its Library and its Technical Help to Exporters Service. Various BSI electronic information services are also available which give details on all its products and services. Contact the Information Centre. Tel: +44 (0)20 8996 7111. Fax: +44 (0)20 8996 7048. Email: info@bsi-global.com.

Subscribing members of BSI are kept up to date with standards developments and receive substantial discounts on the purchase price of standards. For details of these and other benefits contact Membership Administration. Tel: +44 (0)20 8996 7002. Fax: +44 (0)20 8996 7001. Email: membership@bsi-global.com.

Information regarding online access to British Standards via British Standards Online can be found at <http://www.bsi-global.com/bsonline>.

Further information about BSI is available on the BSI website at <http://www.bsi-global.com>.

Copyright

Copyright subsists in all BSI publications. BSI also holds the copyright, in the UK, of the publications of the international standardization bodies. Except as permitted under the Copyright, Designs and Patents Act 1988 no extract may be reproduced, stored in a retrieval system or transmitted in any form or by any means – electronic, photocopying, recording or otherwise – without prior written permission from BSI.

This does not preclude the free use, in the course of implementing the standard, of necessary details such as symbols, and size, type or grade designations. If these details are to be used for any other purpose than implementation then the prior written permission of BSI must be obtained.

Details and advice can be obtained from the Copyright & Licensing Manager. Tel: +44 (0)20 8996 7070. Fax: +44 (0)20 8996 7553. Email: copyright@bsi-global.com.