

BRITISH STANDARD

Hand-held motor-operated electric tools — Safety —

Part 2-17: Particular requirements for routers and trimmers

The European Standard EN 60745-2-17:2003 has the status of a
British Standard

ICS 25.140.20

BS EN
60745-2-17:
2003

BSi
British Standards

NO COPYING WITHOUT BSI PERMISSION EXCEPT AS PERMITTED BY COPYRIGHT LAW
Document provided by BSI Licensee Hong Kong Polytechnic University
11/20/2003 18:30:43 MST Questions or comments about this message, please call
the Document Policy Group at 1 800 451 1584

BS EN 60745-2-17:2003

National foreword

This British Standard is the official English language version of
EN 60745-2-17:2003. It was derived by CENELEC from IEC 60745-2-17:2003.
It supersedes BS EN 50144-2-17:2000, BS EN 50144-2-18:2000 and
BS EN 50260-2-14:2002 which will be withdrawn on 2005-12-01.

The CENELEC common modifications have been implemented at the
appropriate places in the text and are indicated by tags (e.g. **IE** **CD**).

The UK participation in its preparation was entrusted by Technical Committee
CPL/61, Safety of household and similar electrical appliances, to Subcommittee
CPL/61/6, Portable motor operated tools, which has the responsibility to:

- aid enquirers to understand the text;
- present to the responsible European committee any enquiries on the
interpretation, or proposals for change, and keep the UK interests
informed;
- monitor related international and European developments and
promulgate them in the UK.

A list of organizations represented on this subcommittee can be obtained on
request to its secretary.

Cross-references

The British Standards which implement international or European
publications referred to in this document may be found in the *BSI Catalogue*
under the section entitled "International Standards Correspondence Index", or
by using the "Search" facility of the *BSI Electronic Catalogue* or of
British Standards Online.

This publication does not purport to include all the necessary provisions of a
contract. Users are responsible for its correct application.

**Compliance with a British Standard does not of itself confer immunity
from legal obligations.**

Summary of pages

This document comprises a front cover, an inside front cover, the EN title page,
pages 2 to 11 and a back cover.

The BSI copyright notice displayed in this document indicates when the
document was last issued.

Amendments issued since publication

Amd. No.	Date	Comments

This British Standard was
published under the authority
of the Standards Policy and
Strategy Committee on
28 August 2003

© BSI 28 August 2003

ISBN 0 580 42516 9

Document provided by BSI Licensee Hong Kong Polytechnic University
11/20/2003 18:30:43 MST Questions or comments about this message, please call
the Document Policy Group at 1 800 451 1584

Document provided by BSI Licensee Hong Kong Polytechnic University
11/20/2003 18:30:43 MST Questions or comments about this message, please call
the Document Policy Group at 1 800 451 1584

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN 60745-2-17

July 2003

ICS 25.140.20

Supersedes EN 50144-2-17:2000 & EN 50144-2-18:2000 & EN 50260-2-14:2002

English version

**Hand-held motor-operated electric tools -
Safety**
Part 2-17: Particular requirements for routers and trimmers
(IEC 60745-2-17:2003, modified)

Outils électroportatifs à moteur -
Sécurité
Partie 2-17: Règles particulières
pour les défonceuses et affleureuses
(CEI 60745-2-17:2003, modifiée)

Handgeführte motorbetriebene
Elektrowerkzeuge -
Sicherheit
Teil 2-17: Besondere Anforderungen
für Oberfräsen und Kantenfräsen
(IEC 60745-2-17:2003, modifiziert)

This European Standard was approved by CENELEC on 2002-12-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Lithuania, Luxembourg, Malta, Netherlands, Norway, Portugal, Slovakia, Spain, Sweden, Switzerland and United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Central Secretariat: rue de Stassart 35, B - 1050 Brussels

© 2003 CENELEC - All rights of exploitation in any form and by any means reserved worldwide for CENELEC members.

Ref. No. EN 60745-2-17:2003 E

Foreword

The text of the International Standard IEC 60745-2-17:2003, prepared by SC 61F, Safety of hand-held motor-operated electric tools, of IEC/TC 61, Safety of household and similar electrical appliances, together with the common modifications prepared by the Technical Committee CENELEC TC 61F, Safety of hand-held and transportable motor-operated electric tools, was submitted to the formal vote and was approved by CENELEC as EN 60745-2-17 on 2002-12-01.

This European Standard supersedes EN 50144-2-17:2000, EN 50144-2-18:2000 and EN 50260-2-14:2002.

The following dates were fixed:

- latest date by which the EN has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2004-03-01
- latest date by which the national standards conflicting with the EN have to be withdrawn (dow) 2005-12-01

Other standards referred to in this European standard are listed in Clause 2. Clause 2 lists the valid edition of those documents at the time of issue of this EN.

This standard is divided into two parts:

Part 1: General requirements which are common to most hand-held electric motor operated tools (for the purpose of this standard referred to simply as tools) which could come within the scope of this standard;

Part 2: Requirements for particular types of tools which either supplement or modify the requirements given in Part 1 to account for the particular hazards and characteristics of these specific tools.

This European Standard has been prepared under a mandate given to CEN and CENELEC by the European Commission and the European Free Trade Association and supports the essential health and safety requirements of the Machinery Directive.

Compliance with the clauses of Part 1 together with this Part 2 provides one means of conforming with the essential health and safety requirements of the Directive concerned.

Warning: Other requirements and other EC Directives can be applicable to the products falling within the scope of this standard.

This standard follows the overall requirements of EN 292-1 and EN 292-2.

This Part 2-17 is to be used in conjunction with EN 60745-1:2003. When this standard states "addition", "modification" or "replacement", the relevant text in Part 1 is to be adapted accordingly.

Subclauses and figures which are additional to those in Part 1 are numbered starting from 101.

Subclauses, tables and figures which are additional to those in IEC 60745-2-17 are prefixed "Z".

NOTE In this standard, the following print types are used:

- requirements: in roman type;
- test specifications: in italic type;
- notes: in smaller roman type.

Endorsement notice

The text of the International Standard IEC 60745-2-17:2003 was approved by CENELEC as a European Standard with agreed common modifications.

CONTENTS

1	Scope	4
2	Normative references	4
3	Definitions	4
4	General requirements	4
5	General conditions for the tests	4
6	Environmental requirements	5
7	Classification	5
8	Marking and instructions	6
9	Protection against access to live parts	6
10	Starting	6
11	Input and current	6
12	Heating	6
13	Leakage current	6
14	Moisture resistance	6
15	Electric strength	7
16	Overload protection of transformers and associated circuits	7
17	Endurance	7
18	Abnormal operation	7
19	Mechanical hazards	7
20	Mechanical strength	8
21	Construction	8
22	Internal wiring	8
23	Components	8
24	Supply connection and external flexible cords	8
25	Terminals for external conductors	8
26	Provision for earthing	8
27	Screws and connections	9
28	Creepage distances, clearances and distances through insulation	9
29	Resistance to heat, fire and tracking	9
30	Resistance to rusting	9
31	Radiation, toxicity and similar hazards	9
	Annexes	11
	Annex K (normative) Battery tools and battery packs	11
	Annex L (normative) Battery tools and battery packs provided with mains connection or non-isolated sources	11
	Bibliography	11
	Figure 101 – Measurement of distance between handle and cutter	10

HAND-HELD MOTOR-OPERATED ELECTRIC TOOLS – SAFETY –

Part 2-17: Particular requirements for routers and trimmers

1 Scope

This clause of Part 1 is applicable, except as follows:

1.1 Addition:

This standard applies to routers and trimmers.

2 Normative references

This clause of Part 1 is applicable.

3 Definitions

This clause of Part 1 is applicable, except as follows:

3.101

router

tool designed to be fitted with rotary cutter and with a base that allows control of cutting slots into or shaping the edge of various materials

3.102

trimmer

tool designed to be fitted with rotary cutter and a base that allows for control of trimming the edge of laminate sheet or similar materials

4 General requirements

This clause of Part 1 is applicable.

5 General conditions for the tests

This clause of Part 1 is applicable.

6 Environmental requirements

This clause of Part 1 is applicable except as follows:

6.1.2.4 Modification:

Routers and trimmers are suspended. The base plate of the tool shall be horizontal.

6.1.2.5 Modification:

Routers and trimmers are tested at no-load.

6.2.2.4 Modification:

Routers are tested under load observing the conditions shown in Table Z101.

Table Z101 - Test conditions for routers

Orientation	Cutting grooves in a horizontal piece of chipboard 800 mm x 400 mm x 19 mm supported on resilient material and fixed to a bench
Tool bit	Ø 12 mm straight sided bit as recommended by the manufacturer for chipboard
Feed force	Just sufficient to cut at a brisk pace
Test cycle	Cutting grooves 8 mm deep across the 400 mm width of the chipboard. Distance between grooves to be 10 mm using the guide fence if supplied.

Trimmers are tested at no-load. C1

7 Classification

This clause of Part 1 is applicable.

8 Marking and instructions

This clause of Part 1 is applicable except as follows:

8.1 Addition:

- rated no-load speed in revolutions per minute.

8.12.2 a) Addition:

- 7) Details of the type of cutters for which the tool is designed
- 8) Draw attention to the necessity for using bits of the correct shank diameter suitable for the speed of the tool
- 9) Information concerning the diameter of shank for which the collet is designed

C1 Z101) For routers: information on the correct use of the dust collection system

Z102) For routers: advice to wear a dust mask C1

9 Protection against access to live parts

This clause of Part 1 is applicable.

10 Starting

This clause of Part 1 is applicable.

11 Input and current

This clause of Part 1 is applicable.

12 Heating

This clause of Part 1 is applicable, except as follows:

12.4 Replacement:

The tool is operated for 15 cycles, each cycle comprising a period of continuous operation of 1 min and a rest period of 1 min with the tool switched off. During the periods of operation the tool is loaded by means of a brake adjusted so as to attain rated input or rated current. The temperature rises are measured at the end of the 15th "on" period, or at the manufacturer's option, the tool may be operated continuously until thermal stabilisation.

13 Leakage current

This clause of Part 1 is applicable.

14 Moisture resistance

This clause of Part 1 is applicable.

15 Electric strength

This clause of Part 1 is applicable.

16 Overload protection of transformers and associated circuits

This clause of Part 1 is applicable.

17 Endurance

This clause of Part 1 is applicable.

18 Abnormal operation

This clause of Part 1 is applicable.

19 Mechanical hazards

This clause of Part 1 is applicable, except as follows:

19.1 Replacement:

Routers shall be equipped with a base plate which surrounds the cutter in the plane of the plate so as to prevent inadvertent contact with the cutter during normal operation.

Compliance is checked by inspection.

19.101 At least two handles are required if the mass exceeds 2 kg.

The handles shall be so shaped or located as to minimise the risk of inadvertent contact of the user's hand with rotating parts. Inadvertent contact of the user's hand is, for example, considered to be sufficiently prevented if the gripping area of the handle is provided with a suitable shroud(s) or barrier at its end(s) adjacent to the body of the tool, or the distance from a defined measuring point on the handle surface to the cutter is a minimum of 120 mm.

Compliance is checked by inspection and measurement. The measurement shall be carried out as a chain distance (see Figure 101).

With the base plate set to maximum depth of cut, to establish the measuring point on the auxiliary handle follow the outlined procedure below.

- a) Establish the closest (A) and the most distant (B) points from the plane of the base plate on the handle. Equidistant between points (A) and (B), draw the horizontal intersecting line on the plane parallel with the base plate and the surface of the handle.
- b) The point on the intersecting line of the handle surface with the largest radial distance from the centreline of the spindle is the defined measuring point.

The motor housing can be considered as a handle, if suitably shaped.

The mass is measured without accessories, e.g. mandrels, cutters and flexible cable or cord.

If the motor housing is considered as the only gripping area, it shall be so shaped as to minimise the risk of inadvertent contact of the user with rotating parts. Inadvertent contact of the hand of the user is considered to be sufficiently prevented, if there is a 6 mm high barrier between the grasping surface and the cutter or if the mains switch area is at a distance of at least 120 mm from the cutter, taking into account any base plate which may be fitted.

Adjustment elements capable of being readjusted while the tool is operating, e.g. "revolving depth gauge", shall be located so that touching of rotating parts is avoided.

Compliance is checked by inspection.

19.102 The no-load speed of the spindle at rated voltage or at the upper limit of the voltage range shall not exceed 110 % of the rated no-load speed.

Compliance is checked by measuring the speed of the spindle after the tool has been operating for 15 min at no-load.

20 Mechanical strength

This clause of Part 1 is applicable.

21 Construction

☐ This clause of Part 1 is applicable except as follows:

21.21 Addition:

Routers are considered to be tools where a considerable amount of dust is produced.

Trimmers are considered not to be tools where a considerable amount of dust is produced. ☑

22 Internal wiring

This clause of Part 1 is applicable.

23 Components

This clause of Part 1 is applicable.

24 Supply connection and external flexible cords

This clause of Part 1 is applicable.

25 Terminals for external conductors

This clause of Part 1 is applicable.

26 Provision for earthing

This clause of Part 1 is applicable.

27 Screws and connections

This clause of Part 1 is applicable.

28 Creepage distances, clearances and distances through insulation

This clause of Part 1 is applicable.

29 Resistance to heat, fire and tracking

This clause of Part 1 is applicable.

30 Resistance to rusting

This clause of Part 1 is applicable.

31 Radiation, toxicity and similar hazards

This clause of Part 1 is applicable.




Figure 101 – Measurement of distance between handle and cutter

Annexes

The annexes of Part 1 are applicable except as follows.

Annex K (normative)

Battery tools and battery packs

K.1.1 Addition:

All clauses of this Part 2 apply unless otherwise specified in this annex.

Annex L (normative)

Battery tools and battery packs provided with mains connection or non-isolated sources

L.1.1 Addition:

All clauses of this Part 2 apply unless otherwise specified in this annex.

Bibliography

The bibliography of Part 1 is applicable.

BSI — British Standards Institution

BSI is the independent national body responsible for preparing British Standards. It presents the UK view on standards in Europe and at the international level. It is incorporated by Royal Charter.

Revisions

British Standards are updated by amendment or revision. Users of British Standards should make sure that they possess the latest amendments or editions.

It is the constant aim of BSI to improve the quality of our products and services. We would be grateful if anyone finding an inaccuracy or ambiguity while using this British Standard would inform the Secretary of the technical committee responsible, the identity of which can be found on the inside front cover. Tel: +44 (0)20 8996 9000. Fax: +44 (0)20 8996 7400.

BSI offers members an individual updating service called PLUS which ensures that subscribers automatically receive the latest editions of standards.

Buying standards

Orders for all BSI, international and foreign standards publications should be addressed to Customer Services. Tel: +44 (0)20 8996 9001. Fax: +44 (0)20 8996 7001. Email: orders@bsi-global.com. Standards are also available from the BSI website at <http://www.bsi-global.com>.

In response to orders for international standards, it is BSI policy to supply the BSI implementation of those that have been published as British Standards, unless otherwise requested.

Information on standards

BSI provides a wide range of information on national, European and international standards through its Library and its Technical Help to Exporters Service. Various BSI electronic information services are also available which give details on all its products and services. Contact the Information Centre. Tel: +44 (0)20 8996 7111. Fax: +44 (0)20 8996 7048. Email: info@bsi-global.com.

Subscribing members of BSI are kept up to date with standards developments and receive substantial discounts on the purchase price of standards. For details of these and other benefits contact Membership Administration. Tel: +44 (0)20 8996 7002. Fax: +44 (0)20 8996 7001. Email: membership@bsi-global.com.

Information regarding online access to British Standards via British Standards Online can be found at <http://www.bsi-global.com/bsonline>.

Further information about BSI is available on the BSI website at <http://www.bsi-global.com>.

Copyright

Copyright subsists in all BSI publications. BSI also holds the copyright, in the UK, of the publications of the international standardization bodies. Except as permitted under the Copyright, Designs and Patents Act 1988 no extract may be reproduced, stored in a retrieval system or transmitted in any form or by any means – electronic, photocopying, recording or otherwise – without prior written permission from BSI.

This does not preclude the free use, in the course of implementing the standard, of necessary details such as symbols, and size, type or grade designations. If these details are to be used for any other purpose than implementation then the prior written permission of BSI must be obtained.

Details and advice can be obtained from the Copyright & Licensing Manager. Tel: +44 (0)20 8996 7070. Fax: +44 (0)20 8996 7553. Email: copyright@bsi-global.com.

BSI
389 Chiswick High Road
London
W4 4AL