

# Travel Adaptor

14 Jul 2007 15:25

## CONDUCTED EMISSION TEST #1

EUT: XiX #1  
Manuf:  
Op Cond:  
Operator:  
Test Spec: CLASS B  
Comment: LINE : Neutral


Result File: 0714a\_n.dat : Travel Adaptor\_ XiX #1\_ Neutral

### Scan Settings (1 Range)

Frequencies			Receiver Settings					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150kHz	30MHz	5kHz	10kHz	PK+AV	20msec	Auto	OFF	60dB

Transducer	No.	Start	Stop	Name
	21	150kHz	30MHz	3825_2575_060901

Prescan Measurement: Detectors: X PK / + AV  
Meas Time: see scan settings  
Peaks: 8  
Acc Margin: 25 dB



CONDUCTED EMISSION TEST #1

EUT: XiX #1  
 Manuf:  
 Op Cond:  
 Operator:  
 Test Spec: CLASS B  
 Comment: LINE : Neutral

Result File: 0714a\_n.dat : Travel Adaptor\_ XiX #1\_ Neutral

Scan Settings (1 Range)

Frequencies			Receiver Settings					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150kHz	30MHz	5kHz	10kHz	PK+AV	20msec	Auto	OFF	60dB

Transducer	No.	Start	Stop	Name
	21	150kHz	30MHz	3825_2575_060901

Prescan Measurement: Detectors: X PK / + AV  
 Meas Time: see scan settings  
 Peaks: 8  
 Acc Margin: 25 dB

Peak Search Results

Frequency MHz	PK Level dB <sub>ref</sub>	PK Limit dB <sub>ref</sub>	PK Delta dB
0.39	54.90	58.06	3.16
0.4	55.48	57.85	2.37
0.46	53.80	56.69	2.89
0.785	53.04	56.00	2.96
0.81	52.70	56.00	3.30
0.85	53.94	56.00	2.06
0.86	52.56	56.00	3.44
0.88	52.54	56.00	3.46

Frequency MHz	AV Level dB <sub>ref</sub>	AV Limit dB <sub>ref</sub>	AV Delta dB
0.38	33.62	48.28	14.66
0.795	30.67	46.00	15.33
0.855	30.77	46.00	15.23
0.915	29.16	46.00	16.84
2.52	29.51	46.00	16.49
2.555	29.54	46.00	16.46
2.585	30.03	46.00	15.97
2.615	29.56	46.00	16.44

\* limit exceeded