

V _{DSS}	R _{DS,on} (max) [Ω] 25°C V _{GS} =10V	Q _G Typ or C _{iss} Typ	I _D								
			K-pack (D-PAK)	TFP (SMD)	T-pack (D ² -PAK)	TO-220	TO-220F (ISO)	TO-3P	TO-3PF (ISO)	TO-247	
30V	0.06	900pF	10A_L 2SK2248-01S								
	0.02	1,100pF			35A_L 2SK2807-01S	35A_L 2SK2806-01	35A_L 2SK2808-01MR				
	0.01	2,750pF			50A_L 2SK2688-01S	50A_L 2SK2687-01	50A_L 2SK2689-01MR				
	0.0068	3,900pF				50A_L 2SK3363-01	50A_L 2SK2890-01MR				
	0.0055	3,900pF						100A_L 2SK2891-01	90A_L 2SK2892-01R		
	0.004	6,600pF						100A_L 2SK2893-01	100A_L 2SK2894-01R		
60V	0.1	500pF	10A_L 2SK2018-01S								
	0.015	2,300pF			50A 2SK2901-01S	50A 2SK2900-01	50A 2SK2902-01MR				
	0.012	2,900pF			45A_L 2SK2896-01S	45A_L 2SK2895-01	45A_L 2SK2897-01MR				
		3,100pF				50A 2SK3364-01	50A 2SK2903-01MR	80A 2SK2904-01	70A 2SK2905-01R		
	0.01	3,500pF				50A_L 2SK3362-01	50A_L 2SK2809-01MR	80A_L 2SK2690-01	70A_L 2SK2691-01R		
	0.008	5,400pF						100A 2SK2906-01	100A 2SK2907-01R		
	0.007	6,700pF						100A_L 2SK2898-01	100A_L 2SK2899-01R		
0.0065	9,000pF				80A 2SK3272-01S	80A 2SK3270-01	70A 2SK3273-01MR	100A 2SK3271-01			
75V	0.0079	150nC					70A 2SK3730-01MR				

L signifies 1.5V Logic Level Gate Threshold

V _{DSS}	R _{DS,on} (max) [Ω] 25°C V _{GS} =10V	Q _G Typ or C _{iss} Typ	I _D							
			K-pack (D-PAK)	TFP (SMD)	T-pack (D ² -PAK)	TO-220	TO-220F (ISO)	TO-3P	TO-3PF (ISO)	TO-247
100V	0.062	22nC		20A 2SK3601-01	20A 2SK3600-01S	20A 2SK3598-01	20A 2SK3599-01MR			
	0.044	32nC		30A 2SK3647-01	30A 2SK3646-01S	30A 2SK3644-01	30A 2SK3645-01MR			
	0.025	52nC		50A 2SK3589-01	50A 2SK3588-01S	50A 2SK3586-01	50A 2SK3587-01MR			
150V	0.105	21nC		16A 2SK3605-01	16A 2SK3604-01S	16A 2SK3602-01	16A 2SK3603-01MR			
	0.07	34nC		23A 2SK3474-01	23A 2SK3650-01S	23A 2SK3648-01	23A 2SK3649-01MR			
		46nC						23A_L 2SK3537-01MR		
	0.041	52nC		40A 2SK3593-01	40A 2SK3592-01S	40A 2SK3590-01	40A 2SK3591-01MR			
200V	0.17	21nC		13A 2SK3609-01	13A 2SK3608-01S	13A 2SK3606-01	13A 2SK3607-01MR			
	0.01	1,700pF					20A_L 2SK3262-01MR			
	0.066	51nC		30A 2SK3597-01	30A 2SK3596-01S	30A 2SK3594-01	30A 2SK3595-01MR			
250V	2.0	250pF		2A 2SK2250-01S						
	1.1	230pF		4A 2SK2292-01S						
	0.85	400pF		6A 2SK2099-01S						
	0.26	21nC		10A 2SK3613-01	10A 2SK3612-01S	10A 2SK3610-01	10A 2SK3611-01MR			
	0.105	44nC		25A 2SK3535-01	25A 2SK3556-01S	25A 2SK3554-01	25A 2SK3555-01MR		25A 2SK3651-01R	
300V	0.28	23nC					12A 2SK3580-01MR			

L signifies 1.5V Logic Level Gate Threshold

V _{DSS}	R _{DS,on} (max) [Ω] 25°C V _{GS} =10V	Q _G Typ or C _{iss} Typ	I _D								
			K-pack (D-PAK)	TFP (SMD)	T-pack (D ² -PAK)	TO-220	TO-220F (ISO)	TO-3P	TO-3PF (ISO)	TO-247	
400V	0.2	2,650pF									23A 2SK3340-01
450V						8A 2SK3725-01	8A 2SK3726-01MR				
	1.2	540pF			8A 2SK2870-01S	8A 2SK2871-01	8A 2SK2872-01MR	8A 2SK2873-01			
	0.65	22nC			8A 2SK3516-01S	8A 2SK3514-01	8A 2SK3515-01MR				
	0.45	1,400pf						18A 2SK2755-01	18A 2SK2756-01R		
	0.38	34nC 1,400pF			16A 2SK3694-01S	16A 2SK3692-01	16A 2SK3693-01MR	18A 2SK2755-01	18A 2SK2756-01R		
500V		15nC				5A 2SK3517-01	5A 2SK3518-01MR				
	1.5	540pF			6A 2SK2874-01S			6A 2SK2877-01			
	0.9	950pF			10A 2SK2758-01S	10A 2SK2757-01	10A 2SK2640-01MR	10A 2SK2641-01			
	0.85	20nC			8A 2SK3521-01S	8A 2SK3519-01	8A 2SK3520-01MR				
	0.58	30nC				12A ^{FREDFET} 2SK3695-01	12A ^{FREDFET} 2SK3696-01MR				
	0.55	1,400pF					15A 2SK2642-01MR	15A 2SK2643-01	15A 2SK2759-01R		
	0.52	30nC			12A 2SK3512-01S	12A 2SK3468-01	12A 2SK3469-01MR				
	0.46	33nC 2200pF			14A 2SK3581-01S	14A 2SK3504-01	14A 2SK3505-01MR	18A 2SK2644-01			
	0.38	43nC 2,200pF			19A 2SK3684-01S	19A 2SK3682-01	19A 2SK3683-01MR	20A 2SK2879-01			19A 2SK3685-01
	0.26	3,350pF 54nC								20A 2SK3338-01 21A 2SK3522-01	20A 2SK3339-01
	0.2	4,300pF									27A 2SK3339-01
0.11	140nC									52A 2SK3680-01	

V _{DSS}	R _{DS,on} (max) [Ω] 25°C V _{GS} =10V	Q _G Typ or C _{iss} Typ	I _D							
			K-pack (D-PAK)	TFP (SMD)	T-pack (D ² -PAK)	TO-220	TO-220F (ISO)	TO-3P	TO-3PF (ISO)	TO-247
600V	6.5	270pF	2A 2SK2071-01S							
	2.1	15nC				3.5A 2SK3690-01	3.5A 2SK3691-01MR			
	1.2	900pF 20nC			9A 2SK2908-01S 6A 2SK3526-01S	9A 2SK2827-01 6A 2SK3524-01	9A 2SK2645-01MR 6A 2SK3525-01MR	9A 2SK2834-01	9A 2SK2760-01R	
	1.0	1,100pF					10A 2SK2761-01MR		10A 2SK3102-01R	
	0.75	30nC			10A 2SK3513-01S	10A 2SK3501-01	10A 2SK3502-01MR			
	0.65	34nC				12A 2SK3450-01	12A 2SK3451-01MR			
	0.54	43nC			14A 2SK3688-01S	14A 2SK3686-01	14A 2SK3687-01MR			14A 2SK3689-01
	0.37	54nC							17A 2SK3527-01R	17A 2SK3528-01R
	0.18	140nC								35A FREDFET 2SK3697-01
	0.16	140nC								35A 2SK3681-01
700V	1.18	25nC					7A 2SK3673-01MR			
	0.93	31nC					10A 2SK3677-01MR			

V _{DSS}	R _{DS,on} (max) [Ω] 25°C V _{GS} =10V	Q _{G Typ} or C _{iss Typ}	I _D								
			K-pack (D-PAK)	TFP (SMD)	T-pack (D ² -PAK)	TO-220	TO-220F (ISO)	TO-3P	TO-3PF (ISO)	TO-247	
800V	4.0	450pF			4A 2SK2762-01S	4A 2SK2646-01	4A 2SK2647-01MR	4A 2SK2763-01	4A 2SK2764-01R		
	2.0	900pF					7A 2SK3264-01MR	7A 2SK2765-01	7A 2SK2766-01R		
	2.1	1,200pF			6A 2SK2072-01S						
	1.9	21.5nC				5A 2SK3529-01	5A 2SK3530-01MR				
	1.5	1,200pF						9A 2SK2648-01	9A 2SK2649-01R		
900V	8.0	12.0nC				2.2A 2SK3727-01	2.2A 2SK3728-01MR				
	5.5	450pF			3.5A 2SK2768-01S			3.5A 2SK2770-01			
	4.3	16.5nC				3.7A 2SK3698-01	3.7A 2SK3699-01MR				
	2.5	900pF						6A 2SK2651-01MR	6A 2SK2652-01	6A 2SK2653-01R	
		21.5nC 950pF			4.5A 2SK3676-01S	4.5A 2SK3531-01	4.5A 2SK3532-01MR	6A 2SK2850-01			
	2.0	25.0nC			5.5A 2SK3674-01S	5.5A 2SK3533-01	5.5A 2SK3534-01MR				5.5A 2SK3675-01
		1,200pF						8A 2SK2654-01	8A 2SK2655-01R		
	1.58	31.0nC				8A 2SK3678-01	8A 2SK3679-01MR				
	1.4	34.5nC							10A 2SK3550-01R	10A 2SK3549-01	
1.2	2,200pF								10A 2SK3341-01		
1000V	3,6	1,300pF			4A 2SK2004-01S	4A 2SK1986-01					
	2.0	1,480pF								7A 2SK3337-01	

MOSFET (P-Channel)

V _{DSS}	R _{DS,on} (max) [Ω] 25°C V _{GS} =10V	Q _G Typ or C _{iss} Typ	I _D							
			K-pack (D-PAK)	TFP (SMD)	T-pack (D ² -PAK)	TO-220	TO-220F (ISO)	TO-3P	TO-3PF (ISO)	TO-247
- 30V	0.4	250pF	5A 2SJ472-01S							
- 60V	0.3	500pF	5A 2SJ314-01S							
	0.2	550pF	7A 2SJ473-01S		7A 2SJ474-01S					
	0.06	2,000pF			25A 2SJ476-01S	25A 2SJ475-01	25A 2SJ477-01MR			