


[Home](#) < [Parts Listings](#) < Power Conversion Products - Toroidal Cores


# Toroidal Cores T184 thru T250

**COLOR CODE**

-2	Red/Clear
-8	Yellow/Red
-14	Black/Red
-18	Green/Red
-19	Red/Green
-26	Yellow/White
-30	Green/Gray
-34	Gray/Blue
-35	Yellow/Gray
-38	Gray/Black
-40	Green/Yellow
-45	Black/Black
-52	Green/Blue



TYPICAL PART NO.



164.0

MICROMETALS Part No.	A <sub>L</sub> nH/N <sup>2</sup>	MAGNETIC DIMENSIONS					
		OD in/mm	ID in/mm	Ht in/mm	ℓ cm	A cm <sup>2</sup>	V cm <sup>3</sup>
T184-2	24.0						
T184-8/90	72.0						
T184-14	28.0						
T184-18	116.0						
T184-19	116.0						
T184-26	169.0	1.840/46.7	.950/24.1	.710/18.0	11.2	1.88	21.0
T184-30	51.0						
T184-34	70.0						
T184-35	70.0						
T184-40	143.0						
T184-52	159.0						
---							
T200-2	12.0						
T200-8/90	42.5						
T200-18	67.0						
T200-19	67.0						
T200-26	92.0	2.000/50.8	1.250/31.8	.550/14.0	13.0	1.27	16.4
T200-34	37.0						
T200-35	37.0						
T200-40	79.0						
T200-52	92.0						
T200-2B	21.8						
T200-8B/90	78.5						

T200-18B	120.0						
T200-19B	120.0						
<b>T200-26B</b>	160.0						
T200-30B	51.0	2.000/50.8	1.250/31.8	1.000/25.4	13.0	2.32	30.0
T200-35B	74.0						
T200-40B	142.0						
<b>T200-52B</b>	155.0						
T201-8/90	104.0						
T201-18	120.0						
<b>T201-26</b>	224.0	2.000/50.8	.950/24.1	.875/22.2	11.8	2.81	33.2
T201-40	194.0						
T201-52	224.0						
T224-26C	155.0						
T224-52C	155.0	2.250/57.2	1.250/31.8	.750/19.1	14.0	2.31	32.2
<b>T225-2</b>	12.0						
<b>T225-8/90</b>	42.5						
T225-18	67.0						
T225-19	67.0						
<b>T225-26</b>	98.0						
T225-30	28.0	2.250/57.2	1.405/35.7	.550/14.0	14.6	1.42	20.7
T225-34	37.0						
T225-35	37.0						
<b>T225-40</b>	78.0						
T225-52	92.0						
<b>T225-2B</b>	21.5						
T225-14B	28.0						
<b>T225-26B</b>	160.0	2.250/57.2	1.405/35.7	1.000/25.4	14.6	2.59	37.8
T225-34B	67.0						
T225-52B	155.0						
<b>T249-26</b>	203.0						
T249-34	89.0	2.500/63.5	1.405/35.7	1.000/25.4	15.6	3.36	52.3
T249-52	203.0						
T250-8/90	113.0						
T250-14	43.0						

T250-18	177.0							
T250-19	177.0							
<b>T250-26</b>	242.0							
T250-30	71.0	2.500/63.5	1.250/31.8	1.000/25.4	15.0	3.84	57.4	
T250-34	106.0							
<b>T250-40</b>	194.0							
T250-52	242.0							

---

[About Us](#) | [What We Do](#) | [Contact Us](#) | [Samples](#) | [Catalog](#) | [Thermal Aging](#) | [Parts](#) |  
[Materials](#) | [Software](#) | [Home](#)