

9k-30MHz Conducted Emission Test

GT-45


EUT: Energy Saving Light
 Manuf: Changzhou Shentu
 Op Cond: Light on
 Operator: Jian Wei
 Test Spec: EN55015
 Comment: Phase L
 Sample No.:80516053
 Result File: gt45l.dat : ESHS30 prescan

Scan Settings (2 Ranges)

Frequencies			Receiver Settings					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
9kHz	150kHz	.8%	200Hz	PK+AV	50msec	Auto	OFF	60dB
150kHz	30MHz	.8%	10kHz	PK+AV	50msec	Auto	OFF	60dB

Transducer	No.	Start	Stop	Name
	1	9kHz	30MHz	NSLK

Final Measurement: Detectors: X QP / + AV
 Meas Time: 1sec
 Subranges: 16
 Acc Margin: 6 dB



9k-30MHz Conducted Emission Test

GT-45

EUT: Energy Saving Light
 Manuf: Changzhou Shentu
 Op Cond: Light on
 Operator: Jian Wei
 Test Spec: EN55015
 Comment: Phase L
 Sample No.:80516053
 Result File: gt45l.dat : ESHS30 prescan

Scan Settings (2 Ranges)

Frequencies			Receiver Settings					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
9kHz	150kHz	.8%	200Hz	PK+AV	50msec	Auto	OFF	60dB
150kHz	30MHz	.8%	10kHz	PK+AV	50msec	Auto	OFF	60dB

Transducer	No.	Start	Stop	Name
	1	9kHz	30MHz	NSLK

Final Measurement: Detectors: X QP / + AV
 Meas Time: 1sec
 Subranges: 16
 Acc Margin: 6 dB

Final Measurement Results

Frequency MHz	QP Level dBμV	QP Limit dBμV	QP Delta dB
0.25379	62.52*	61.63	-0.89
0.30242	57.39	60.18	2.79
0.43285	45.91	57.20	11.29

Frequency MHz	AV Level dBμV	AV Limit dBμV	AV Delta dB
---------------	---------------	---------------	-------------

No results

* limit exceeded