


Data: 1 File: F:\E3\Applicant\2008\一帆 (CE).EMI (8)
Level (dBuV)

Date: 10-30-2008 Time: 11:30:42




Site : sgs
Condition : EN55022 CLASS B QP LISN LINE 02 LINE
Job No.:
Applicant:
EUT:
Model : SAMPLE1 NO LOADING
Test mode: TEST IN ON MODE
Remark: :

| | Read | Cable | LISN | Limit | Over | | |
|----|-------|-------|------|--------|-------|-------|--------|
| | Freq | Level | Loss | Factor | Level | Line | Limit |
| | MHz | dBuV | dB | dB | dBuV | dBuV | dB |
| 1 | 0.201 | 26.52 | 0.13 | 9.58 | 36.23 | 63.58 | -27.35 |
| 2 | 0.201 | 8.04 | 0.13 | 9.58 | 17.75 | 53.58 | -35.83 |
| 3 | 0.217 | 26.88 | 0.14 | 9.58 | 36.60 | 62.92 | -26.32 |
| 4 | 0.217 | 9.38 | 0.14 | 9.58 | 19.10 | 52.92 | -33.82 |
| 5 | 0.318 | 23.38 | 0.18 | 9.59 | 33.14 | 59.75 | -26.61 |
| 6 | 0.318 | 6.72 | 0.18 | 9.59 | 16.48 | 49.75 | -33.27 |
| 7 | 0.393 | 19.50 | 0.20 | 9.59 | 29.29 | 57.99 | -28.70 |
| 8 | 0.393 | 2.61 | 0.20 | 9.59 | 12.40 | 47.99 | -35.59 |
| 9 | 0.775 | 18.92 | 0.27 | 9.58 | 28.78 | 56.00 | -27.22 |
| 10 | 0.775 | 2.08 | 0.27 | 9.58 | 11.94 | 46.00 | -34.06 |
| 11 | 1.338 | 16.34 | 0.26 | 9.60 | 26.20 | 56.00 | -29.80 |
| 12 | 1.338 | 1.57 | 0.26 | 9.60 | 11.43 | 46.00 | -34.57 |

Data: 2
Level (dBuV)

File: F:\E3\Applicant\2008\一帆 (CE).EMI (8)


Date: 10-30-2008 Time: 11:33:15



Site : sgs
Condition : EN55022 CLASS B QP LISN NEUTRAL 02 NEUTRAL
Job No.:
Applicant:
EUT:
Model : SAMPLE1 NO LOADING
Test mode: TEST IN ON MODE
Remark: :

| | Freq | Read Level | Cable Loss | LISN Factor | Level | Limit Line | Over Limit | Remark |
|----|-------|------------|------------|-------------|-------|------------|------------|---------|
| | MHz | dBuV | dB | dB | dBuV | dBuV | dB | |
| 1 | 0.206 | 26.50 | 0.13 | 9.59 | 36.22 | 63.36 | -27.14 | QP |
| 2 | 0.206 | 6.79 | 0.13 | 9.59 | 16.51 | 53.36 | -36.85 | AVERAGE |
| 3 | 0.215 | 25.90 | 0.14 | 9.59 | 35.63 | 63.01 | -27.38 | QP |
| 4 | 0.215 | 8.53 | 0.14 | 9.59 | 18.26 | 53.01 | -34.75 | AVERAGE |
| 5 | 0.307 | 22.12 | 0.18 | 9.59 | 31.89 | 60.06 | -28.17 | QP |
| 6 | 0.307 | 6.05 | 0.18 | 9.59 | 15.82 | 50.06 | -34.24 | AVERAGE |
| 7 | 0.783 | 19.14 | 0.27 | 9.58 | 28.99 | 56.00 | -27.01 | QP |
| 8 | 0.783 | 2.24 | 0.27 | 9.58 | 12.09 | 46.00 | -33.91 | AVERAGE |
| 9 | 0.890 | 18.32 | 0.29 | 9.58 | 28.19 | 56.00 | -27.81 | QP |
| 10 | 0.890 | 3.69 | 0.29 | 9.58 | 13.56 | 46.00 | -32.44 | AVERAGE |
| 11 | 1.324 | 1.97 | 0.26 | 9.59 | 11.82 | 46.00 | -34.18 | AVERAGE |
| 12 | 1.324 | 17.18 | 0.26 | 9.59 | 27.03 | 56.00 | -28.97 | QP |


Data: 3 File: F:\E3\Applicant\2008\一帆 (CE).EMI (8) Date: 10-30-2008 Time: 11:36:21
Level (dBuV)



Site : sgs
Condition : EN55022 CLASS B QP LISN NEUTRAL 02 NEUTRAL
Job No.:
Applicant:
EUT:
Model : SAMPLE1 LOADING
Test mode: TEST IN ON MODE
Remark: :

| | Freq | Read Level | Cable Loss | LISN Factor | Level | Limit Line | Over Limit | Remark |
|----|--------|------------|------------|-------------|-------|------------|------------|---------|
| | MHz | dBuV | dB | dB | dBuV | dBuV | dB | |
| 1 | 0.203 | 40.62 | 0.13 | 9.59 | 50.34 | 63.49 | -13.15 | QP |
| 2 | 0.203 | 22.02 | 0.13 | 9.59 | 31.74 | 53.49 | -21.75 | AVERAGE |
| 3 | 0.216 | 39.50 | 0.14 | 9.59 | 49.23 | 62.96 | -13.73 | QP |
| 4 | 0.216 | 22.24 | 0.14 | 9.59 | 31.97 | 52.96 | -20.99 | AVERAGE |
| 5 | 0.303 | 30.72 | 0.17 | 9.59 | 40.48 | 60.15 | -19.66 | QP |
| 6 | 0.303 | 14.23 | 0.17 | 9.59 | 23.99 | 50.15 | -26.15 | AVERAGE |
| 7 | 1.203 | 19.80 | 0.28 | 9.59 | 29.66 | 56.00 | -26.34 | QP |
| 8 | 1.203 | 5.84 | 0.28 | 9.59 | 15.70 | 46.00 | -30.30 | AVERAGE |
| 9 | 3.472 | 6.12 | 0.14 | 9.62 | 15.88 | 46.00 | -30.12 | AVERAGE |
| 10 | 3.472 | 18.18 | 0.14 | 9.62 | 27.94 | 56.00 | -28.06 | QP |
| 11 | 28.003 | 32.50 | 0.43 | 10.09 | 43.03 | 60.00 | -16.97 | QP |
| 12 | 28.003 | 25.82 | 0.43 | 10.09 | 36.35 | 50.00 | -13.65 | AVERAGE |

Data: 4 File: F:\E3\Applicant\2008\一帆 (CE).EMI (8) Date: 10-30-2008 Time: 11:39:11
Level (dBuV)




Site : sgs
Condition : EN55022 CLASS B QP LISN LINE 02 LINE
Job No. :
Applicant :
EUT :
Model : SAMPLE1 LOADING
Test mode : TEST IN ON MODE
Remark :

| | Read Freq | Cable Loss | LISN Factor | Limit Line | Over Limit | Remark |
|----|-----------|------------|-------------|------------|------------|----------------------|
| | MHz | dB | dB | dBuV | dB | |
| 1 | 0.202 | 40.34 | 0.13 | 9.58 | 50.05 | 63.54 -13.48 QP |
| 2 | 0.202 | 22.07 | 0.13 | 9.58 | 31.78 | 53.54 -21.75 AVERAGE |
| 3 | 0.206 | 39.88 | 0.13 | 9.58 | 49.59 | 63.36 -13.77 QP |
| 4 | 0.206 | 22.99 | 0.13 | 9.58 | 32.70 | 53.36 -20.66 AVERAGE |
| 5 | 0.220 | 39.20 | 0.14 | 9.58 | 48.92 | 62.83 -13.91 QP |
| 6 | 0.220 | 22.41 | 0.14 | 9.58 | 32.13 | 52.83 -20.70 AVERAGE |
| 7 | 0.299 | 30.48 | 0.17 | 9.58 | 40.24 | 60.28 -20.04 QP |
| 8 | 0.299 | 12.21 | 0.17 | 9.58 | 21.97 | 50.28 -28.31 AVERAGE |
| 9 | 1.229 | 4.18 | 0.27 | 9.60 | 14.05 | 46.00 -31.95 AVERAGE |
| 10 | 1.229 | 20.04 | 0.27 | 9.60 | 29.91 | 56.00 -26.09 QP |
| 11 | 27.855 | 26.38 | 0.44 | 9.96 | 36.78 | 50.00 -13.22 AVERAGE |
| 12 | 27.855 | 32.88 | 0.44 | 9.96 | 43.28 | 60.00 -16.72 QP |

Data: 5 File: F:\E3\Applciant\2008\一帆 (CE).EMI (8)

Date: 10-30-2008 Time: 11:42:00




Site : sgs
Condition : EN55022 CLASS B QP LISN LINE 02 LINE
Job No.:
Applicant:
EUT:
Model : SAMPLE2 NO LOADING
Test mode: TEST IN ON MODE
Remark: :

| | Read Freq | Cable Loss | LISN Factor | Limit Line | Over Limit | Remark |
|----|-----------|------------|-------------|------------|------------|---------|
| | MHz | dB | dB | dBuV | dB | |
| 1 | 0.207 | 37.10 | 0.13 | 63.32 | -16.50 | QP |
| 2 | 0.207 | 15.50 | 0.13 | 53.32 | -28.10 | AVERAGE |
| 3 | 0.227 | 35.90 | 0.14 | 62.57 | -16.94 | QP |
| 4 | 0.227 | 16.73 | 0.14 | 52.57 | -26.11 | AVERAGE |
| 5 | 0.312 | 26.46 | 0.18 | 59.93 | -23.71 | QP |
| 6 | 0.312 | 10.29 | 0.18 | 49.93 | -29.88 | AVERAGE |
| 7 | 0.329 | 25.82 | 0.18 | 59.49 | -23.90 | QP |
| 8 | 0.329 | 12.21 | 0.18 | 49.49 | -27.51 | AVERAGE |
| 9 | 0.817 | 5.32 | 0.28 | 46.00 | -30.82 | AVERAGE |
| 10 | 0.817 | 20.58 | 0.28 | 56.00 | -25.56 | QP |
| 11 | 8.192 | 14.56 | 0.03 | 60.00 | -35.72 | QP |
| 12 | 8.192 | 4.69 | 0.03 | 50.00 | -35.59 | AVERAGE |

Data: 6
Level (dBuV)

File: F:\E3\Applicant\2008\一帆 (CE).EMI (8)

Date: 10-30-2008 Time: 11:44:39




Site : sgs
Condition : EN55022 CLASS B QP LISN NEUTRAL 02 NEUTRAL
Job No.:
Applicant:
EUT:
Model : SAMPLE2 NO LOADING
Test mode: TEST IN ON MODE
Remark: :

| | Freq | Read Level | Cable Loss | LISN Factor | Level | Limit Line | Over Limit | Remark |
|----|-------|------------|------------|-------------|-------|------------|------------|---------|
| | MHz | dBuV | dB | dB | dBuV | dBuV | dB | |
| 1 | 0.208 | 34.46 | 0.13 | 9.59 | 44.18 | 63.27 | -19.09 | QP |
| 2 | 0.208 | 8.69 | 0.13 | 9.59 | 18.41 | 53.27 | -34.86 | AVERAGE |
| 3 | 0.217 | 34.84 | 0.14 | 9.59 | 44.57 | 62.92 | -18.35 | QP |
| 4 | 0.217 | 10.71 | 0.14 | 9.59 | 20.44 | 52.92 | -32.48 | AVERAGE |
| 5 | 0.313 | 24.82 | 0.18 | 9.59 | 34.59 | 59.88 | -25.30 | QP |
| 6 | 0.313 | 8.37 | 0.18 | 9.59 | 18.14 | 49.88 | -31.75 | AVERAGE |
| 7 | 0.415 | 19.74 | 0.21 | 9.59 | 29.54 | 57.55 | -28.01 | QP |
| 8 | 0.415 | 4.27 | 0.21 | 9.59 | 14.07 | 47.55 | -33.48 | AVERAGE |
| 9 | 0.817 | 19.14 | 0.28 | 9.58 | 29.00 | 56.00 | -27.00 | QP |
| 10 | 0.817 | 4.09 | 0.28 | 9.58 | 13.95 | 46.00 | -32.05 | AVERAGE |
| 11 | 1.374 | 16.90 | 0.26 | 9.59 | 26.75 | 56.00 | -29.25 | QP |
| 12 | 1.374 | 2.87 | 0.26 | 9.59 | 12.72 | 46.00 | -33.28 | AVERAGE |

Data: 7 File: F:\E3\Applicant\2008\一帆 (CE).EMI (8)


Date: 10-30-2008 Time: 11:47:13



Site : sgs
Condition : EN55022 CLASS B QP LISN NEUTRAL 02 NEUTRAL
Job No.:
Applicant:
EUT:
Model : SAMPLE2 LOADING
Test mode: TEST IN ON MODE
Remark: :

| | Freq | Read Level | Cable Loss | LISN Factor | Level | Limit Line | Over Limit | Remark |
|-----|--------|------------|------------|-------------|-------|------------|------------|---------|
| | MHz | dBuV | dB | dB | dBuV | dBuV | dB | |
| 1 @ | 0.206 | 48.08 | 0.13 | 9.59 | 57.80 | 63.36 | -5.56 | QP |
| 2 | 0.206 | 24.85 | 0.13 | 9.59 | 34.57 | 53.36 | -18.79 | AVERAGE |
| 3 @ | 0.214 | 47.44 | 0.14 | 9.59 | 57.17 | 63.05 | -5.88 | QP |
| 4 | 0.214 | 27.95 | 0.14 | 9.59 | 37.68 | 53.05 | -15.37 | AVERAGE |
| 5 @ | 0.229 | 46.22 | 0.14 | 9.59 | 55.95 | 62.48 | -6.52 | QP |
| 6 | 0.229 | 25.82 | 0.14 | 9.59 | 35.55 | 52.48 | -16.92 | AVERAGE |
| 7 | 0.308 | 34.98 | 0.18 | 9.59 | 44.75 | 60.02 | -15.27 | QP |
| 8 | 0.308 | 13.18 | 0.18 | 9.59 | 22.95 | 50.02 | -27.07 | AVERAGE |
| 9 | 0.330 | 34.26 | 0.18 | 9.59 | 44.03 | 59.44 | -15.41 | QP |
| 10 | 0.330 | 16.31 | 0.18 | 9.59 | 26.08 | 49.44 | -23.36 | AVERAGE |
| 11 | 0.552 | 4.44 | 0.24 | 9.59 | 14.26 | 46.00 | -31.74 | AVERAGE |
| 12 | 0.552 | 21.60 | 0.24 | 9.59 | 31.42 | 56.00 | -24.58 | QP |
| 13 | 28.152 | 26.27 | 0.43 | 10.09 | 36.79 | 50.00 | -13.21 | AVERAGE |
| 14 | 28.152 | 32.60 | 0.43 | 10.09 | 43.12 | 60.00 | -16.88 | QP |

Data: 8 File: F:\E3\Applciant\2008\一帆 (CE).EMI (8) Date: 10-30-2008 Time: 11:50:11
Level (dBuV)



Site : sgs
Condition : EN55022 CLASS B QP LISN LINE 02 LINE
Job No.:
Applicant:
EUT:
Model : SAMPLE2 LOADING
Test mode: TEST IN ON MODE
Remark: :

| | Read Freq | Cable Loss | LISN Factor | Limit Line | Over Limit | Remark |
|-----|-----------|------------|-------------|------------|------------|----------------------|
| | MHz | dB | dB | dBuV | dB | |
| 1 @ | 0.205 | 46.96 | 0.13 | 9.58 | 56.67 | 63.40 -6.73 QP |
| 2 | 0.205 | 22.99 | 0.13 | 9.58 | 32.70 | 53.40 -20.70 AVERAGE |
| 3 | 0.220 | 45.68 | 0.14 | 9.58 | 55.40 | 62.83 -7.43 QP |
| 4 | 0.220 | 27.49 | 0.14 | 9.58 | 37.21 | 52.83 -15.62 AVERAGE |
| 5 | 0.310 | 34.74 | 0.18 | 9.58 | 44.50 | 59.97 -15.47 QP |
| 6 | 0.310 | 14.55 | 0.18 | 9.58 | 24.31 | 49.97 -25.66 AVERAGE |
| 7 | 0.343 | 32.92 | 0.19 | 9.59 | 42.69 | 59.13 -16.44 QP |
| 8 | 0.343 | 15.78 | 0.19 | 9.59 | 25.55 | 49.13 -23.58 AVERAGE |
| 9 | 0.521 | 4.60 | 0.23 | 9.59 | 14.42 | 46.00 -31.58 AVERAGE |
| 10 | 0.521 | 21.20 | 0.23 | 9.59 | 31.02 | 56.00 -24.98 QP |
| 11 | 27.562 | 25.53 | 0.44 | 9.96 | 35.93 | 50.00 -14.07 AVERAGE |
| 12 | 27.562 | 32.76 | 0.44 | 9.96 | 43.16 | 60.00 -16.84 QP |