



SGS-CSTC Standards Technical Services Co., Ltd.

EMC Preliminary Test Results Notice

CONFIDENTIALITY NOTICE

This facsimile transmission is intended only for use of the addressee and is confidential. Reading, copying, disclosure or use by anybody else is not authorized. If you are not the intended recipient, please contact the number at the bottom of the form immediately and destroy this copy.

Project No.(案号): GLEMO081203893HS
Client Name (客户名称): Alfa Hogar SL
Product Name (产品名称): Vaccum Sealer
Model No.(型号): 7983
Test Standards (测试标准): EN55014-1,EN5514-2, EN61000-3-2,EN61000-3-3
Project Engineer (项目工程师): Alex chen
Tel/Email (电话/电子邮箱): 020-82155308/Alex.chen@sgs.com
Test Result (测试结果): **Failed (CE)**

Note: This is a summary of the test result. Full information should refer to the final test report. Should you have any inquiries, please feel free to contact the Project Engineer.

地址: 中国.广东省.广州市经济技术开发区科学城科珠路 198 号

Address: 198 KEZHU Road, SCIENTECH Park Guangzhou Economic & Technology Development District, Guangzhou, Guangdong,
CHINA

邮政编码/Zip Code:510663




Non compliance found in the test(s):

Conducted Emission(CE): EN 55014-1 (test Standard) / EN 55014-1 (basic standard)



SGS-CSTC Standards Technical Services Co., Ltd., Guangzhou EMC Laboratory.
Tel: +86 20 82155555 Fax: +86 20 82075059



Site : sgs
 Condition : EN55014-1 QP LISN NEUTRAL 02 NEUTRAL
 Job No. : 3893HS
 Applicant :
 EUT : VACUUM SEALER
 Model : 7983
 Test mode : TEST IN ON MODE
 Remark :

	Freq	Read Level	Cable Loss	LISN Factor	Level	Limit Line	Over Limit	Remark
	MHz	dBuV	dB	dB	dBuV	dBuV	dB	
1	4.610	42.88	0.10	9.63	52.61	56.00	-3.39	QP
2 @	4.610	41.21	0.10	9.63	50.94	46.00	4.94	AVERAGE




SGS-CSTC Standards Technical Services Co., Ltd.



SGS-CSTC Standards Technical Services Co., Ltd., Guangzhou EMC Laboratory.
Tel: +86 20 82155555 Fax: +86 20 82075059

Data: 2 File: F:\E3\Applciant\2009\3893HS (CE).EMI (2) Date: 01-16-2009 Time: 09:42:25



Site : sgs
 Condition : EN55014-1 QP LISN LINE 02 LINE
 Job No. : 3893HS
 Applicant :
 EUT : VACUUM SEALER
 Model : 7983
 Test mode : TEST IN ON MODE
 Remark :

	Freq	Read Level	Cable Loss	LISN Factor	Level	Limit Line	Over Limit	Remark
	MHz	dBuV	dB	dB	dBuV	dBuV	dB	
1 @	1.202	39.19	0.28	9.60	49.06	46.00	3.06	AVERAGE
2	1.202	42.78	0.28	9.60	52.65	56.00	-3.35	QP