


EUT:
 Manuf:
 Op Cond:
 Operator:
 Test Spec:
 Comment:

Result File: N.dat : New Measurement

Scan Settings (1 Range)			Receiver Settings					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150kHz	30MHz	0.8%	9kHz	PK+AV	50msec	Auto	OFF	60dB

Transducer	No.	Start	Stop	Name
	1	9kHz	30MHz	LISN_C02_LOSS

Final Measurement: Detectors: X QP / + AV
 Meas Time: 1sec
 Peaks: 8
 Acc Margin: 25 dB



EUT:
 Manuf:
 Op Cond:
 Operator:
 Test Spec:
 Comment:

Result File: N.dat : New Measurement

Scan Settings (1 Range)

Frequencies			Receiver Settings					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150kHz	30MHz	0.8%	9kHz	PK+AV	50msec	Auto	OFF	60dB

Transducer	No.	Start	Stop	Name
	1	9kHz	30MHz	LISN_C02_LOSS

Final Measurement: Detectors: X QP / + AV
 Meas Time: 1sec
 Peaks: 8
 Acc Margin: 25 dB

Final Measurement Results

Frequency MHz	QP Level dBµV	QP Limit dBµV	QP Delta dB
0.23623	53.73	62.23	8.50
0.35467	53.71	58.85	5.14
0.76824	45.35	56.00	10.65
1.29985	39.57	56.00	16.43
1.7736	33.26	56.00	22.74
2.30703	28.22	56.00	27.78

Frequency MHz	AV Level dBµV	AV Limit dBµV	AV Delta dB
0.23623	53.71	54.10	0.39
0.35467	53.62*	49.71	-3.91
0.76824	45.97	46.00	0.03
1.29985	39.64	46.00	6.36
1.7736	32.36	46.00	13.64
2.30703	26.55	46.00	19.45

* limit exceeded