

*Demo Board Test Report for LD7591*


*--- 24V/500mA LED Power Supply*

<b>Tested by</b>	<b>Reviewed by</b>	<b>Approved by</b>
Mark		

<b>Total pages</b>	<b>Revision</b>	<b>Date</b>
	01	2010/05/11

## **Contents**

<b>I. SCHEMATIC .....</b>	<b>3</b>
<b>II. BOM.....</b>	<b>4</b>
<b>III. EXECUTIVE SUMMARY.....</b>	<b>5</b>

**I. SCHEMATIC**


Title	Number	Revision
Size	R	



<b>III. EXECUTIVE SUMMARY .....</b>	<b>6</b>
<b>1. INPUT VOLTAGE &amp; FREQUENCY .....</b>	<b>7</b>
<b>2. OUTPUT LOADS.....</b>	<b>7</b>
<b>3. LOAD REGULATION .....</b>	<b>8</b>
<b>4. EFFICIENCY , PF TEST.....</b>	<b>9</b>

**III. EXECUTIVE SUMMARY**

Office	
Model Name	LD7591-DemoBoard
Version	01
IC	LD7591(D/C:)

<b>TEST</b>	<b>Result</b>	<b>Comments</b>
3. Load Regulation	<b>PASS</b>	
4. Efficiency , PF Test	<b>PASS</b>	

### 1. Input Voltage & Frequency

The unit shall be capable of operating as a universal AC input power supply accepting AC inputs. The power supply shall operate between the following voltages (from 90V to 264V). The supply will be designed to operate for a Table 1.

	Minimum	Normal	Maximum
Input Voltage	90Vac	110Vac	264Vac
Frequency	47HZ	60HZ	63HZ

Table 1.

### 2. Output Loads

The line and load regulation for each of the outputs are shown in Table. 2.

Parameter	Output Voltage			Output Current	
	Minimum	Typical	Maximum	Minimum	Maximum
+24V		24V		0A	0.5A
Line Regulation	-5%	/	+5%	/	0.5A
Load Regulation	-5%	/	+5%	0A	0.5A

Table 2.

### 3. Load Regulation

**Test Conditions:**
**Input: 90Vac/115Vac/230Vac/264Vac(60Hz)**
**Output:** Electronic Load Setup:

CV mode (9V、12V、15V、18V、21V、24V)

**Ambient Temperature : 25°C**

CV mode:

Vin(V <sub>AC</sub> )	90Vac			
Vout(V <sub>DC</sub> )	15	18	21	24
Iout(mA)	466.6	486.6	486.8	486.9
Vin(V <sub>AC</sub> )	115Vac			
Vout(V <sub>DC</sub> )	15	18	21	24
Iout(mA)	486.3	486.5	486.5	486.7
Vin(V <sub>AC</sub> )	230Vac			
Vout(V <sub>DC</sub> )	15	18	21	24
Iout(mA)	486.5	486.5	486.6	486.8
Vin(V <sub>AC</sub> )	264Vac			
Vout(V <sub>DC</sub> )	15	18	21	24
Iout(mA)	486.4	486.6	486.7	486.8

Table 3

**4. Efficiency and PF Test**

The efficiency of power supply shall be measured throughout its specified operating input range and at output maximum load conditions. It should remain **80% minimum**. PF > 0.85 .

**Test Condition:****Input: 90Vac/115Vac/230Vac/264Vac(60Hz)****Output: 24V/0.5A (Electronic Load Setup:CV mode)****Ambient Temperature: 25°C**

	<b>90V</b>	<b>115V</b>	<b>230V</b>	<b>264V</b>
<b>PF</b>	<b>0.995</b>	<b>0.990</b>	<b>0.944</b>	<b>0.923</b>
<b>Efficiency</b>	84.73%	86.42%	87.08%	86.5%

Table 5 Efficiency, PF TEST.

**T1: XFRM**

1. Lp(4-3): 1130 uH±5%
2. Np/Ns/NVcc: 84/21/14
3. RM6

1	0.2mm*1(2-UEW) 56Ts PIN4 -> PINX		2 Layers
2	Tape 10 mm 3M#1350 1Ts		
3	0.15mm*1(2-UEW) 14Ts PIN1 -> PIN2		
4	銅箔 1Ts ->PIN2		
5	Tape 10mm 3M#1350 1Ts		
6	0.35mm*1 (三層絕緣絞線) 21Ts F1 -> F2		2 Layers
7	Tape 10mm 3M#1350 1Ts		
8	0.2mm*1(2-UEW) 28Ts PINX -> PIN3		1 Layers
9	Tape 10 mm 3M#1350 1Ts		
10	FINSHED		