




Report No.: 2013
 Test Standard: CISPR15 Class B 3M Radiation
 Test item: Radiation Emission
 Applicant:
 Product: 200W
 Model No.: 134V 1.4A

Test Distance: 3m
 Ant. Polarization: Horizontal
 Temp.(C)/Hum.(%): 26(C) / 60 %
 Power Rating: AC 230V/50Hz
 Test Engineer:

Test Mode:
 Remark:

No.	Frequency (MHz)	Factor (dB)	Reading (dBuV)	Level (dBuV)	Limit (dBuV)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	103.1700	-17.70	62.31	44.61	40.00	4.61	peak			F	
2	113.9700	-17.39	62.59	45.20	40.00	5.20	peak			F	

Note: Level=Reading+Factor.
 Margin=Limit-Level.



Report No.: 2013
 Test Standard: CISPR15 Class B 3M Radiation
 Test item: Radiation Emission
 Applicant:
 Product: 200W
 Model No.: 134V 1.4A

Test Distance: 3m
 Ant. Polarization: Vertical
 Temp.(C)/Hum.(%): 26(C) / 60 %
 Power Rating: AC 230V/50Hz
 Test Engineer:

Test Mode:
 Remark:

No.	Frequency (MHz)	Factor (dB)	Reading (dBuV)	Level (dBuV)	Limit (dBuV)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	31.6200	-9.31	54.98	45.67	40.00	5.67	peak			F	
2	75.0899	-20.64	65.82	45.18	40.00	5.18	peak			F	
3	94.8000	-18.16	64.39	46.23	40.00	6.23	peak			F	

Note: Level=Reading+Factor.

Margin=Limit-Level.